

*Dupl.*  
PHARMACOPOEIA  
HERMETICA,

Quâ

*Processus Chymici,*

Qui per

PHARMACOPOEIAM

Ante editam sparsi ; atque cum

GALENICIS

Permistè implicati prostabant, nunc  
figillatim decerpti, & in



Unum MANIPULUM colligati,

Separatim exhibentur.

---

L O N D I N I :  
MDCCXIX.

*a. 2826.*







# CATALOGUS

## *Processuum Chymicorum.*

**A** Cetum Lithar-  
gyrites.  
Mellis.

Æthiops Mineralis.

Alumen dulce.

Febrifugum.

Anima Hepat. V.  
vitr. Martis.

Antefebrole Concha-  
rum.

Antihecticum Pote-  
rii.

Antimon. Diaphoret.  
fixum.

Medicamento-  
sum.

Refuscitatum.

Aqua Animalis.

Antiphthisica.

1 Antiscorbuti-  
ca.

2 —

Bechica.

Caryophyllo-  
rum.

Cephalica.

Cerafor. comp.

Chalybeata.

Chamæmeli  
comp.

Cinnamomi  
card.

Hordeata.

Aq. Cordium comp.

Cosmetica.

Crinalis.

A 2

Cucu-

# *Catalogus Processuum Chymicorum.*

Cucumerum	Sarsæ comp.
comp.	Senelorum
Cynosbati com.	comp.
Digitalis.	Siphylica.
Embryonum.	Stimmios Sul-
Epidemia.	phurata.
Febrifuga.	Tussilaginis
Formicarum.	comp.
Fortis duplex.	Arcanum Aluminis.
Aluminata.	Corallinum.
Hirundinum.	Coral. Paracelsi.
Hormini comp.	Cosmeticum.
Hungarica.	Duplex.
Lactis Alexite-	Joviale.
ria.	Scriptorium.
Cardiaca.	Aurum Fulminans.
Nephritica.	Mosaicum.
Pectoralis.	Potabile.
Scorbutica.	Vitæ.
Lamii comp.	Balsamum Anody-
Odorifera.	num.
Omnium Flo-	Martiale.
rum.	Paralyticum.
Ophthalmica.	Saturninum.
Aq. Pectoralis.	Succini.
Perficariæ com.	Sulphuris Anti-
Picarum comp.	monii.
Pneumonica.	Anisatum.
Prolifica.	Bateanum.
Regia.	Ben-

# *Catalogus Processuum Chymicorum.*

Benzoinatum.	Cinnaberis Antimo-
Knœphelii.	nii.
Minerale.	Cliffus Vitrioli.
Rulandi.	Colcothar. Vitrioli.
Succinatum.	Crocus Jovis.
Terebinthi-	Veneris.
natum.	Cryſtallum Lunæ,
Tartari.	v. Vitriol. Lunæ.
Veneris.	Crystal. minerale.
Bezoarticum Joviale.	Decoct. Reguli.
Lunare.	Elixir Camphoratum
Martiale.	Propriet. dulce.
Mercuriale.	Pestilent.
Minerale.	Tartariſat.
Saturni.	Vitæ.
Solare.	Vitrioli.
Veneris.	Ens Veneris.
Calx Auri. v. Aur.	Effentia Abſinthii.
Fulm.	Martis.
Jovis.	Extractum Abſinthii.
Lunæ.	Alhandal.
Saturni v. Plum.	Chalybis.
uſt.	Diateſſaron.
Cauterium Lunare.	Draſticum.
Ceruſſa Antimonii.	Ecphraſticum.
Martis.	Febrifugum.
Chalcanthum rube-	Fellis.
fact.	Ictericum.
Chalybs ſine acido.	Melampodii.
Tartariſatus.	Pare-

# *Catalogus Processuum Chymicorum.*

Paregoricum.	Jupiter Diaphoreticus.
Febrifugum Riverii.	Nitratus.
Flores Antimonii.	
Diaphoret.	Lac Sulphuris.
Benzoini.	Laudanum liq. Cydoniat.
Bismuthi.	
Joviales.	Tartarifat.
Salis.	sine Opio.
Salis Armoniaci.	Liquamen Silicum.
Sal. Arm. Martiati.	Sulphuris.
Sulphuris Albi.	Liquor Cephalalgicus.
Viridis Æris.	Luna Potabilis.
Vitrioli.	
Zinci.	Magister. Antim. diaph.
Galbanetum Hartman.	Benzoini.
Sennerti.	Bismuthi.
Gilla Theophrasti.	Git.
	Jovis.
Hepar Sulphuris.	Lithargyrites,
Hercules Bovii, v.	v. Sal. Litharg.
Aurum Vitæ.	Lunæ, v. Vitriol. Lunæ.
	Martis, v. Extract. Chalyb.
Infusum Arthriticum.	Saturni.
Jovis Amalgama, v.	Sulphuris, v.
Crocus Jovis.	Lac Sulph.
	Tartari.

*Catalogus Processuum Chymicorum.*

Tartari.	Fixatum.
Turpethi.	Hermaphrodi-
Magnes Præparatus.	ticum.
Mars Diaphoreticus.	Joviatum, v. Ju-
Fulminans.	piter Nitratus.
Potabilis.	Nitratum.
Mercurii Purgatio.	Perlaturum.
Præcip. alb.	Saturnisatum.
Correctus.	Sulphuratum.
Fixus.	Vitriolatum.
Flavus.	
Griseus.	
Incarnatus.	Oleum Aloëticum.
Laxativus.	Antimon. Sac-
per se.	charat.
Ruber.	Camphoræ.
Solaris per	Chartæ.
se.	Heracleinum.
Viridis.	Ludi.
Sublim. Rub.	Lumbricorum.
& Flav.	Martis.
Vitæ correctus.	Polypodii.
Purgans.	Saponis.
Mixtura simplex.	Saturni, v. Bals.
Nitrum Antimonia-	Saturn.
tum.	Tabaci.
Cachecticum.	Talchi per de-
Catharticum.	liqu.
Corallatum.	Viridis Æris.
	Vitrioli dulce.
	Oxyfac-

# *Catalogus Processuum Chymicorum.*

Oxyfaccharum Eme- ticum.	Chalybis.
	Coralliorum.
Panacea aurea.	Sal CC Succinatum.
Cathartica.	Decrepitatum.
Hartmanni.	Diureticum.
Holsatica, v. Ar- can. duplex.	Febrifugum.
Schroderi, v.	Jovis.
Mercur. præc. fix.	Lythargyrites.
Phosphorus.	Martis, v. Sal Chalyb.
Pil. Matthæi.	Catharticus.
Pulv. Sympatheticus.	Perlarum.
	Philosophorum
	Polychrestum.
Regulus Jovialis.	Saturni.
Lunaris.	Spongiæ volat.
Martis.	Sulphuris.
Solaris.	Tartari.
Veneris.	Volat.
Ros Vitrioli.	Viperarum.
	Veneris, v. Flor.
Sal Absinth. crystal- lin.	Vird Æris.
	Urinæ volat.
Aceti Essentiale.	Sapo Tartareus.
Fixum.	Scammon. Aurant.
Alkali.	v. Extr. Drastring.
Aluminis.	Cydoniatum.
Armoniac. fixat.	Limoniatum.
Volatile.	Rosatum.
Volat. oleos.	Sedativum Archæi.
	Silices.



# *Catalogus Processuum Chymicorum.*

Silices præparati.

Spiritus Alkermes.

Aluminis.  
dulcis.

Ambraë.

Benzoini.

Camphoræ.

Ceraforum.

Cochleariæ.

Coralliorum.

CC Succinatus.

Dracunculi.

Embryonum.

Hormini comp.

Hyssopi verus.

Juniperi.

Mannæ.

Millepedum.

Nitri.

Bezoarticus.  
dulcis.

Reginæ Hun-  
gar.

Rhœad. Crapu-  
laris.

Sal Armon.

Succinat.

Chalybeat.

Tartarifat

Salis coagulat.

Martialis.

Sambuci.

Sanguinis.

Saturni.

Spongiarum.

Tabaci.

Theriacalis

Camphor.

Veneris.

Vini Succina-  
tus.

Tartarifat.

Viperarum.

Vitrioli.

Coagulatus.

Diaphoretic-  
cus.

Martis.

Philosophi-  
cus.

Tartarifat.

Stypticum Regis.

Sulphur Antimonii.

Combustib.

Auratum.

Vitrioli.

Martiale.

Narcoticum.

Tar-

*Catalogus Processuum Chymicorum.*

Tartarum Antimo- niatum.	Juniperi.
Chalybeatum.	Martis.
Emeticum.	Aurea.
Laxativum.	Tartarifata.
Vitriolat. Anti- mon.	Melissæ.
Emetico Pur- gans.	Mellis.
Terra Vitrioli dulcis.	Myrrhæ.
Tinctura Absinthii.	Ocul. Cancr. .
Amygdaloides.	Odontalgica.
Antimonii E- metica.	Paralytica.
Purgans.	Perlarum.
Armoniaci.	Piperis.
Asæ Foetidæ.	Proprietatis.
Asthmatica.	Rhabbarbari.
Aurea.	Sassafras.
Bezoartica.	Saturni.
Cardamomi.	Scorbutica.
Carui.	Serpylli.
Cerussæ.	Stomachica.
Chamæmeli.	Succini.
Coralli.	Sulphuris.
Guaiaci.	Vener.
Galbaneti.	Virgin.
Hæmatitidis.	Vitriol. Camph.
	Lunæ.
	Martis.
	Veneris.



# CHARACTERES,

Qui in hoc

## LIBELLO

Occurrant.

Acetum	✠	Audix. Sal. Arm.	✧
Acet. destillatum	✕	Aurum	⊙
Aër	△	Balneum	B
Æs	♀	Baln. Mariæ	MB
Æs Viride	⊕	Bolus Armena	AB
Alembicus	XX	Calx viva	ψ
Antimonium	⚄	Chalcanth. vitriol	⊕
Aqua	▽	Chalybs	♂
Aqua fontis	▽ont.	Cineres	E
Aqua fortis	▽	Cinnabaris	⚄
Aqua Regia	▽	Crucibul.	✠
Aqua Ros.	▽Ros.	Cuprum	♀
Arena	∴	Destillare	☿
Argentum	☾	Dies	♂
Argent. vivum	♀	Ferrum	♂
Arsenicum	∞	Hermes Merc.	♀

Hora

Hora	8	Sal Commune	⊖
Hydrargyrum	⚹	Sal Gemmæ	⚹
Ignis	Δ	Sal Petræ	⊕
Jupiter	♃	Sol	☉
Luna	♄	Spiritus	Sp.
Mars	♂	Stannum	♃
Massa	⊖	Stimmi. Antim.	♂
Mercurius	⚹	Strat.sup.Strat.S.S.S.	
Merc.præcipitat.	⚹	Sublimare	⚹
Merc. sublimatus.	⚹	Sulphur	⚹
Nitrum	⊕	Tartarum	⚹
Nox	♀	Terra	Δ
Oleum	☉	Venus	♀
Plumbum	♄	Vinum	V.
Præcipitare	⚹	Viride æris	⊕
Pulvis Pulverare	⚹	Vitriolum	⊕
Retorta	⊖	Urina.	⊖
Sal Armoniacum	✱		

Notandum, *Medicamenta singula, quibus præponitur Asteriscus \**, in usu fuisse frequentiori apud Autorem, cujus *Praxin ac Præscripta in re Medicâ* non potui non animadvertere, quippe qui sub *Illo ἐν τῷ φαρμακοποιεῖν* assidue solebam versari viginti circiter annorum spatio.

PHAR-



# PHARMACOPOEIA HERMETICA.



*Cetum Lithargyrites.* ℞. ʒ Li-  
tharg. ☉ ʒiv. ✕ opt. ʒviii.  
digere 6 3, sæpe agitando, &  
filtra. *Pro faciei Rubore, pustu-  
lis, &c. curandis.*

\* *Acetum Mellis.* ℞. Mel. ℥ij. ✕ opt.  
℥iiij ex :: destilla ac rectifica. *Præ-  
ter alios usus solvere, & lapides sine ulla  
præcedente calcinatione, dicitur.*

\* *Æthiops Mineralis.* ℞. Fl. ♀ p. ij. ʒ  
crud. p. i. exactis. mixta incende, ut f.  
ʒ nigerrimus f. a. *Usus in Lue ʒ, Hydrope,  
&c. Ptyalismum non movet.*

\* *Alumen Dulce.* Solve Alumen in ∇,  
& coagula. Repete opus ter, ut Alumen  
dulcescat. Vocatur & Sacchar. *Aluminis.*

B

Commen

*Commendatur in pectoris morbis, præsertim ex minerarum halitu contractis. Odontalgiam sedat, gingivæ impositum. Dos* ʒß.

\* *Alumen Febrifugum.* Solve Alumin. ʒiij in ∇ cardui b. sanguine draconis probe tinctæ ac filtratæ ℥iß, & exhala ad siccitatem f. a. *Dos.* ʒj ante paroxysmum febrilem, sudorem movet, &c. v. *Mynsicht.*

*Anima Hepatis, v. Vitriol. Martis.*

\* *Antihæcticum Poterii.* Fit ex Regul. ʒ ij. ʒ tiati & ʒ is Anglic. ā, colliquatis, cum triplo ʒi detonatis, & ∇â edulcatis, f. a. *Dos.* gr. vj ad xx. In Lue ♀, Hydrope, Scorbuto, Tabe, &c.

\* *Antimon. Diaphoret.* f. ex ʒ p. i, ʒ p. iij. detonatis ac ∇â edulcatis. s. a. *Dos.* ʒj bis in die per plures dies, augendo quant. gradatim quotidie usque ad ʒj pro dosi, usus est ad sanguinem mundificandum, in Cachexia, Hydrope, Scorbuto, Lue ♀, &c.

*Antim. Diaphor. fixum.* R. ʒ & ʒ ā: Detona, ablue & exicca. Tum misc. cum ā ʒi.; detona, ablue, sicca: dein misce iterum cum ā ʒi ac detona. ʒ m hanc in ∇ coctam filtra, & ʒa cum ✕. Tum ablue & sicca. *Vires easdem obtinet cum priori in eadem dosi.*

\* *Antim. Medicamentosum.* R. ʒ p. v. ʒ com. p. iij. ʒ ʒ p. i. funde in Regulum  
ac



ac edulcora. *Parum differt à priori in viribus.*

\* *Aqua Animalis.* R<sup>o</sup>  $\Phi$ ris equi non defatigati rec. globulos n<sup>o</sup> xij. misc. cum Leuccen.  $\mathfrak{h}$ viiij. Adde Sem. fœnic. d. petrosel. ana  $\mathfrak{z}$ ij. Theriac. Januens.  $\mathfrak{h}$ j. polypod. qu. Rusci, Fol. hepat. ana m. ij. zz.  $\mathfrak{z}$ iiij.  $\mathfrak{q}$ a l.  $\Delta$  f. a. *Dos. ad  $\mathfrak{z}$ iv, supersudando, in Pleurisi, Doloribus, Rheumatismo, &c.*

\* *Aq. Antiphthifica.* R<sup>o</sup> Sang. vitul. rec. agitatione à fibris separati,  $\mathfrak{h}$ iiij. Terebinth. Ven.  $\mathfrak{z}$ x. glyc. rec.  $\mathfrak{h}$ j. uv. pass. exacin.  $\mathfrak{z}$ xij. ficus ping. n<sup>o</sup> 100. Limac. hort. n<sup>o</sup> 70. Rad. irid. rec.  $\mathfrak{z}$ vj. Fol. Tabaci Hispan. incis.  $\mathfrak{z}$ ij. micar. panis alb.  $\mathfrak{h}$ j.  $\mathfrak{q}$ a f. a. *Dos.  $\mathfrak{z}$ ij. cum debita olei quantitate supernatante, omni manè cum Syr. Pectoral. per dies 15.*

\* *Aq. Antiscorbutica.* R<sup>o</sup> Fol. fumar. nasturt. aq. cochl. utriusque, becabung. ana m. xij. ling. cerv. cichor. pini, chamædr. prass. agrimon. Centaur. min. ana m x. absinth. Rom. Hepatic. ana m. iiij. Rad. bryon.  $\mathfrak{z}$ viiij. filic. fœm. lapath. cort. dulcamar. fraxin. intern. ana  $\mathfrak{z}$ vj. Sem. fraxini  $\mathfrak{z}$ iß. angel.  $\mathfrak{z}$ ß. contusis omnibus rec. adde V. Rhen.  $\mathfrak{h}$ vj. in quibus Chalybis limatur.  $\mathfrak{h}$ j. vigecies extincta fuerit, exprime prelo &  $\mathfrak{q}$ a in MB. (addendo

B 2

Troch.

Troch. de Cappar. Dat. ʒvj. luti ♂ ʒiʒ.)  
ad mellaginem; quæ postea exhaletur ad  
consist. *Extracti*; quod servetur pro *Ex-  
tracto Antiscorbutico. Bat.*

\* *Aqua Antiscorbutica.* R̄o Fol. Ari.  
cochlear. hort. nasturt. aquat. absinth.  
vulg. ana m. vj. cort. aurant. rec. ʒiiij. n.  
m. ʒij. infunde per noct. in Cerevis. Brun-  
vicens. ℥viiij. & ʒa s. a. *Miclethw.*

*Aq. Artbritica.* v. *Aq. omnium Florum.*

*Aq. Asthmatica.* v. *Aq. Pectoralis.*

\* *Aq. Bechica.* R̄o Fol. heder. ter. tuf-  
filag. botryos, ana ℥iʒ. hyssop. rorism.  
puleg. marrub. ana ℥iʒ. Rad. enul. glyc.  
ana ℥iʒ. irid. Fl. ʒxij. ficuum incis. ℥iiij.  
croc. opt. sem. anis. fænic. d. ana ʒʒ. Sp.  
V. ℥x. Font. ℥48. macer. ac ʒa per  
vesicam ℥24, vel 30, pro Syr. *Tolutano  
magistrali conficiendo.*

\* *Aq. Caryophyllorum.* R̄o Fl. Caryoph.  
hort. rec. ℥ij. dactyl. ℥j. anis. glyc. ana  
ʒj. macer. in fæcum Vini ℥24, & ʒa per  
XX ℥iv. quibus adde sacch. cand ʒiiij; &  
suspende in nodulo caryoph. aromat. n° 3,  
vel 4, cum Mosch. & Ambr. gris. ana  
gr. v.

\* *Aq. Cephalica.* R̄o Rad. pæon. mar.  
ʒiv. angel. Valerian. ana ʒiʒ. caryophyllat.  
ʒj. Fol. salviæ rorism. beton. majoran.  
melis. Fl. lavend. beton. pæon. calend.  
salv.

salv. rorism. lil. conval. tiliæ ana, m j.  
 stœch. ℥iſs. roſ. r. paralyſ. ana m. ij. Lign.  
 rhod. ſant. citr. ana ꝓvj. n. m. ℥iſs. ga-  
 lang. ℥ſs. cardamom. cubeb. ana ꝓiij. In-  
 fund. in vin. alb. opt. ℥xiv. o 10. dein-  
 de adde cinam. opt. ℥j. macer. per o 2.  
 & ꝓa ſ. a. *In capitis Intemperie, Cepha-  
 lalgia, &c. Doſ. coch. ij. Attrabe inter  
 nares, fricentur optimè tempora, loca pone  
 aures, ore teneatur & auribus: Linteolum  
 eâ intinctum nuchæ adhibeatur. Plurimis  
 levamen conciliavit, aliis incaſſum exhibitis.*

\* *Aq. Ceraſor. comp. R̄ Ceraſ. n. cum  
 nucleis opt. contuſ. ℥x. lactis rec. vaccæ  
 rubræ cong. ij. Fol. violar. rubi, prunell.  
 capriſol. ana m. iv. ꝓa ſ. a. Doſ. ℥ſs bis  
 in die. In Tympanite curando Præſtantiſs.  
 Remedium.*

\* *Aq. Chalybeata. R̄ Chalybis limat-  
 ur mund. ℥iv. V. alb. ℥iv. Inſolentur  
 ac agitentur quotidie ad nigredinem Vini,  
 & ſ diſcolorationem: dein. adde fragor.  
 recent. leniter expreſ. ℥iv. Sperm. ceti,  
 rhab. mumix, ana ℥ſs. ꝓa ad ſæcum ſic-  
 cit. Doſ. ℥iij vel iv bis in die, ad fiſtu-  
 las, præſertim urin. partium, Apoſtemata,  
 hæmorrhoid. dolorem, miſtonem purulentam,  
 Contuſiones, ſanguinem coagulatum, &c.*

\* *Aq. Chamæmeli comp. R̄ Fl. Cha-  
 mæm. rec. dupl. flore m. xxx. incid. con-  
 tund.*

tund. & infund. in Aq. stil. è fol. chamæm. ℥x. vin. Hispan. ℥xvj 3 24. exprime & infund. 2da vice Flor. rec. m. xx. In 3tia expressione infund. Flor. rec. m. xij; addendo flaved. cort. aurant. rec. ℥ij. Fol. abs. pont. centaur. puleg. orig. ana. m. iijß. Sem. aneth. ℥ij. anis. fænic. carui, cum. min. cardui ben. card. Mariæ, ana ℥iß. Bac. laur. junip. ana ℥ß. n. m. ℥iij post macerationem debitam 3a f. a. *In Flatu, Colica, Calculo, Mensibus obstructis, &c.*

\* *Aq. Cinamomi Cardiaca.* R. Succ. borrag. residentiâ depurat. ℥24. Fl. caryoph. simp. flore (sc. **Pinkes**) m. ix. croc. ℥ij. cinam. opt. ℥iß. Fl. borrag. m. iv. 3a f. a. in MB. *In Syncope, Animi deliquio, &c. Insignis.*

\* *Aq. Cinamomi Hordeata.* R. Aq. Hordei depurat. ℥viiij. Cinam. opt. ℥xij. macera ac 3a f. a. in MB. *Cum ana Oxym. Scillit. cochleatim sumpta mirificè prodesse solet in Asthmate.*

\* *Aq. Cordium comp.* R. Corda vituli valdè recentia per frustra sect. n° vj. micæ panis à lacte vaccino inebriatæ ℥j. Ros. Dam. ▽ fl. aurant. ana ℥j. mala citria incisa n° 3. cinam ℥iv. macis ℥j. Gelat. c. c. cum V. alb. fact. ℥iv. sanguin. agni, vituli, à fibris purgat. ana ℥ij. V. Hispan. ℥iij.

℥iij. ꝯa f. a. *In virium dejectione mira præstat.*

\* *Aq. Cosmetica.* ℞ Pedes Vitulin. con-  
fractos n° vj. Leptopityri ℥vj. Œris myrrh.  
℥ivß. œnogalact. ℥vj. ꝯa f. a. *Cum ista  
facies abluatur, perfricando aluminis frusto  
lævigato.*

\* *Aq. Crinalis.* ℞ Musca. vivent. ℥iv.  
mel. ℥j. lactis ℥ij. ꝯa f. a. *Præterquam  
quod in Alopecia mirè prodest, in surditate  
etiam valet auribus instillata.*

\* *Aq. Cucumerum comp.* ℞ Succ. cucu-  
mer. hort. ℥iv. vin. alb. ℥vj. Thecar. fa-  
bar. ℥iß. Fol. cum radic. ononid. ℥j. Bac.  
junip. ℥vj. n. m. n° xxi. Sem. petrosel.  
℥iv. Saxifrag. alb. ℥iß. Fl. genist. m. viij.  
sambuc. lamii. alb. ana m. vj. ꝯa f. a. ad  
ficcitatem. *Dos. ℥ij. omni mane, præmis-  
sis pil. ex Terebinth. Cyp. in calculo & are-  
nulis expellendis.*

\* *Aq. Cynosbati comp.* ℞ Fruct. Cy-  
nosb. cum Sem. Contus. ℥vj. Sem. Ra-  
phan. ℥ß. petrosel. ℥j. Saxifrag. ℥ij. Rad.  
Saxifrag. alb. ℥j. glyc. ℥iij. alth. ℥vj. seri  
lactis ℥x. ꝯa f. a. *Dos. ℥iv. bis in die  
cum syr. de alth. & de portulac. præmiss.  
cons. cynosbati.*

\* *Aq. Digitalis.* ℞ Fol. digitalis rec.  
℥xij. glyc. ℥iv. anis. ℥ij. cerevis. fort. ℥xij.  
termenta 6 19. ac ꝯa f. a. *Antasthmatica  
in signis*

*insignis est: Et optime valet ad promovendam expectorationem. Dos. Cochl. aliquot saepe.*

\* *Aq. Embryonum.* R<sup>o</sup> rad. eryng. rec. ℥ij. daetyl. ℥ss. amygd. dulc. non decort. ziv. contus. in pulp. adde n. m. ℥iij. mac. ℥ss. aq. cinam. hordeat. ℥iij. vin. Hispan. aq. melis. ana ℥ij. ꝯa f. a. *Dos.* ℥ij ter in die cum sacch. perlat. præmis. elect. ex conf. ros. r. caryoph. n. m. condit. pul. ebor. margarit. Et c.

\* *Aq. Epidemica.* R<sup>o</sup> Fol. chelidon. rorism. rutæ, salv. artemis. abs. anagal. dracont. scabios. agrim. melis. scord. centaur. min. card. b. beton. roris sol. ana m. ij. Rad. angel. torment. gentian. zed. glyc. ana ℥j. macer. in vin. alb. ℥viij. ð 2: de in ꝯa f. a.

\* *Aq. Febrifuga.* R<sup>o</sup> summit. centaur. min. m. viij. abs. vulg. parthen. pentaphyll. calend. tormentil. nicotian. virid. acetos. card. b. dracon. chamæm. chamædr. ana m. vj. taraxac. m. xij, contus. adde Leuccæn. ℥iv, & ꝯa, & ∇æ ꝯatæ novis affusis herbis macer. ac ꝯa ad ficcit. In ∇ ꝯat. infund. Rad. fraxinel. tormentil. ana ℥ij. Sem. citri, card. Mariæ, acetos. ana ℥ij. Fol. scord. galeg. ana m. iv. ꝯa f. a.

\* *Aq.*



\* *Aq. Formicarum.* R. Formicar. major. (Majo vel Jun. collect.) ℥j. mellis hydropeg. ℥j. ꝯa f. a. *Dof. coch. j. vomitum ciet & curat febres tertianas.*

\* *Aq. Fortis Duplex.* Fit ex ☉ & ☿ ana, per ☽ ꝯatis f. a. *Solvit ☽ & ♀.*

\* *Aqua Fortis Aluminata.* R. Alumin. calcin. ☉, ana ℥j, ☿ ℥℥. ꝯa f. a.

\* *Aq. Hirundinum.* R. Hirundin. vivent. n<sup>o</sup> 40. Castor. ℥j, Vin. alb. ℥iij, ꝯa. *Ad Epilepsiam curandam optimè valet.*

\* *Aq. Hormini comp.* R. Fol. Hormin. rec. contus. m xij. Sp. V. ℥j. ꝯa ad ficcitat. ∇æ ꝯatæ affund. rec. fol. horm. m. x. Fl. Lamii m. vj, & ꝯa 2da vice, repet. affusio & ꝯatio 3tia vice cum rec. flor. & herbis, addendo n. m. ℥j. Liquor. ꝯans ultimâ vice excipiat<sup>r</sup> supra sacch. albis. ℥vj. ambr. gris. in petia suspens. gr. iij. intra phialam. *In abortu præcavendo (apud Mulierculas) multum facit. Profluvio albo subvenit.*

\* *Aq. Hungarica.* R. Fl. rorism. rec. ℥ij. Alcoh. V. ℥viiij. macer. ac. ꝯa f. a. *Confert. ad arthritidem vagam. & Ischiadem. Detur coch. j. bis in septimana. Facies & pars affecta quotidie lavetur. Attrabe in nares, &c. v. usus Aquæ Cephalicæ.*

\* *Aq.*

\* *Aq. Lactis Alexiteria.* R. Fol. ulmar. card. b. galeg. ana m. vj. menth. abs. com. ana m. v. rutæ m. iij. angel. m. ij. contus. adde lact. rec. cong. iij. ꝯa com. organis.

\* *Aq. Lactis Cardiaca.* R. Pomor. redolent. cum cort. & sem. ℥xij. Fol. melif. Scord. ana m. x. rad. zed. Tormental. ana ℥viiij. lactis rec. ℥x. ꝯa f. a.

\* *Aq. Lactis Nephritica.* R. Fol. alth. parietar. aparin. ana m. 4. Rad. alth. ℥xij. glyc. ℥iij. Saxifrag. alb. ℥iv. lact. rec. ℥xij. ꝯa f. a. Aliter. R. Albumina ovorum cum testis suis (demptis vitellis) n<sup>o</sup> 24. contusis optimè & agitatis adde lact. rec. ℥viiij. ꝯa lentif. igne f. a. *Dos.* ℥ss. *omni manè per dies 15 vel 20; Et præterea semel bis in mensc per 2 vel 3 continuos circa plenilunium Et novilunium.*

\* *Aq. Lactis Pectoralis.* R. Limac. hort. contus. ℥bj. sang. porcin. ℥ij. cap. ♀, heder. terr. ana m. iij. ling. cervin. m. ij. glyc. anis. ana ℥iij. jujub. uv. pass. ana ℥iv. lact. rec. ℥xij. ꝯa f. a. *Pulmonica, Phthifica, ad Tabem, &c.*

\* *Aq. Lactis Scorbutica.* R. cochlear. mar. sedi major. ana m. xij. becabung. gramin. nasturt. aquat. ana m. vj. chærefol. m. 4. lact. rec. ℥xij. ꝯa f. a.

\* *Aq.*

\* *Aq. Lamii comp.* R<sup>o</sup> Fl. Lamii alb. m. x. consolid. maj. m. viij. hormin. m. 4. dactyl. n<sup>o</sup> 24. n. m. ℥iij. cas. lig. ℥j. ceno-  
galect. ℥xij. ꝓa ad ficcit. *Usus in Pro-  
fluvio albo, &c. Dos. ℥iv. pro vice.*

\* *Aq. Melluminata.* R<sup>o</sup> Fol. querc. lan-  
ceol. rubi, fragar. pentaphyll. bugul. mil-  
lefol. periclymen. salv. rorism. ros. r. ana  
m. ij. Scob. guajac. ℥iv. Rhodii ℥ij. Ra-  
dic. bistort. ℥j. ♀ viv. ℥i℔. ♂ ℥j. Alu-  
min. ℥iv. mell. ℥℔. coq. in ∇ fluent. ℥viiij.  
ad consump. dimid. f. colat. fæce depo-  
sitâ servabitur per annum totum. *Cum  
Ol. ♀ris, ad ulcera oris, & gin ivarum:  
Cum Flor. ♂i ad Pustulas, optimum reme-  
dium.*

\* *Aq. Odorifera.* R<sup>o</sup> Poma limon. &  
aurant. rec. ana n<sup>o</sup> vi. Rad. irid. florent.  
fantal. alb. cinnam. ana ℥ij. macis, Cary-  
oph. ana ʒvj. Fl. lavendul. m. iv. cha-  
mæmel. rom. anthûs, ana mij. fol. majo-  
ran. mij. ocim. miiij. styrac. calam. ℥iij.  
benzoin. ʒv. Fl. Ros. Dam. m xv. Cyperi.  
rot. ℥℔. Font. ℥xxx. ꝓa in XX f. a. Re-  
serventur aquæ primò ꝓatæ ℥xv. cujus  
singulis libris adde (in nodulo ligat.) Mosc.  
opt. gr. ij.

\* *Aq. Omnium Florum,* fit ex stercore  
Vaccino Maio collecti. cum Leuccœni ʒtia  
parte ꝓato, vel ex sterc. vaccin. rec. & li-  
mac,

mac. cum testis contusis, ana com. organ-  
is satis. *Dicitur hæc Aqua Athritica.*  
*Arthritidi vagæ, Rheumatismo, Calculo,*  
*urine suppressæ, &c. maximè proficua. Dof.*  
*℥iv. pro vice.*

\* *Aq. Optbalmica*, fit ex Aq. è Gum.  
Guajaci (quæ fit per  $\oslash$   $\Delta$ e moderato  $\Xi$   
erum cum  $\text{Xere}$  laterum, separando  $\odot$ m  
& rectificando  $\nabla$ m:) cum  $\text{Ros. alb. mix-}$   
 $\text{tâ f. a.}$  *In morbis oculorum optimum reme-*  
*dium.*

\* *Aq. Pectoralis.*  $\mathcal{R}$  Rad. helen. aristol.  
rot. ana  $\mathfrak{z}$ ij. irid. nostr.  $\mathfrak{z}$ iß. irid. florent.  
petroselin. fœnic. glyc. ana  $\mathfrak{z}$ j. fol. nico-  
tian. virid. m. iv. scabios. veron. tussilag.  
hyssop. marrub. cap.  $\mathfrak{z}$ , card. ben. ana m. j.  
jujub. sebest. ana n<sup>o</sup> 30. caric. dactyl. ana  
n<sup>o</sup> 16. sem. nicotian.  $\mathfrak{z}$ ij. nigell.  $\mathfrak{z}$ j. lini.  
urtic. nasturt. sinap. ana  $\mathfrak{z}$ ij. bacc. lauri  
 $\mathfrak{z}$ vj. guajac. pul.  $\mathfrak{z}$ vij. tereb. ven. (in vi-  
tellis ovor. solut.)  $\mathfrak{z}$ iiß. Leucœen  $\mathfrak{h}$ xvj.  
macer.  $\mathfrak{b}$  3,  $\mathfrak{q}$ a f. a. inter  $\mathfrak{q}$ andum mille-  
ped. contus. n<sup>o</sup> 60. in petia ligat. suspen-  
dendo in receptaculo. *Egregii est usus in*  
*asthmate, dyspnœa, tussi, in tartaro pulmo-*  
*num & renum, &c. Dof.  $\mathfrak{z}$ ij, bis vel ter*  
*in die extra paroxysmum.*

\* *Aq. Persicariæ comp.*  $\mathcal{R}$  Persicar. ma-  
culos. rec.  $\mathfrak{h}$ ij. pariet. portulac. thecar.  
fabar. ana  $\mathfrak{h}$ j. contus. adde lact. rec.  $\mathfrak{h}$ vij.  
 $\mathfrak{q}$ a

¶ a. f. a. *Arcanum magnum habetur in cal-  
culo renum ac vesicæ. Dos. ℥iv. bis indies  
cum melle per 3 20 continuos.*

\* *Aq. Picarum comp. R. Pullos picar.  
nº vj. Sterc. albis. de Pavon. mar. ℥ss.  
Visci querc. veri, rad. pæon. mar. ana ℥iv.  
Flor. primulæ veris rec. ℥j. Vin. alb. &  
Hispan. ana ℥v. Infund. ac ¶ a. f. a. Dos.  
℥iv. manè & vesperi ultimis diebus ante ple-  
nilunium & novilunium. Insigne remedium  
in epilepsia.*

\* *Aq. Pneumonica. R. Fol. peti opt.  
nonconvolut. cort. extern. aurant. ana ℥iv.  
cort. Winter. ʒvj. anis. ℥iss. V. Hispan.  
℥vj. Sp. V. ℥j. macera, ac ¶ a organis  
vitreis. In dolore Colico, Stomachi cruci-  
atibus, inappetentia, &c. Medela proba-  
tissima. Dos. coch. j ante cibum.*

\* *Aq. Prolifica. R. Sem. Angelic. de-  
cort. ℥iſs. fœnic. d. glyc. ana ℥iv. uvar.  
pass. exacinat. ℥j. Fol. artemis. meliss. ana  
m. iv. cardui, puleg. ana m. ij. Sem. amo-  
mi ℥iv. œnogalact. ℥xij. ¶ a. f. a. Dos.  
℥iv. (præmissis præmittendis) cum Tinctur.  
Juniper ʒj. & Syr. è Succo Salv. Coch. 2,  
manè & hora somni, præmissis Sem. sesel.  
pulv. ʒij. cum Rhodosaccharo.*

\* *Aq. Sarsæ comp. R. Sarsapar. chinæ  
nodos. ana ℥xij. lign. guajac. ℥ij. cort.  
ejusdem, Sassafr. ana ℥iv. fantal. alb. sem.  
C coriandr.*

coriandr. ana  $\mathfrak{z}$ iß. glyc.  $\mathfrak{z}$ vi. V. alb.  $\mathfrak{h}$ 24.  
Aq. hord.  $\mathfrak{h}$ xvj.  $\mathfrak{Q}$ a post macerat. debit.  
per vesicam  $\mathfrak{h}$ xxiv. servando  $\nabla$ am f. colat.  
quæ exhaletur in MB ad consist. *Extracti*  
f. a.

\* *Aq. Senelorum comp.*  $\mathfrak{R}$  Senelor. ma-  
tur. à stipit. liberat. cong. ij. contusis opt.  
adde rad. alth. glyc. ana  $\mathfrak{z}$ viiij. ononid.  $\mathfrak{z}$ iiij.  
Fol. parietar. Bacc. halicacab. ana  $\mathfrak{z}$ xij.  
menth. m. ij, Sem. dauci com.  $\mathfrak{z}$ iv, cori-  
and.  $\mathfrak{z}$ ij, neogalact.  $\mathfrak{h}$ xij.  $\mathfrak{Q}$ a f. a. *Dof.*  
 $\mathfrak{z}$ iv, cum Syr. de Alth. &c. *In calculo mul-*  
*ris auxilio fuit.*

\* *Aq. Siphylica.*  $\mathfrak{R}$  Scob. guajac.  $\mathfrak{h}$ iß,  
cerevil. meracæ rec.  $\mathfrak{h}$ ij, macer. ad  $\mathfrak{E}$  ð  
 $\mathfrak{z}$ , &  $\mathfrak{Q}$ a ad siccitatem. *Dof.*  $\mathfrak{z}$ j in liquor.  
*conven. ad luem ♀.*

\* *Aq. Stimmios Sulphurata,* fit ex  $\mathfrak{z}$ ,  
⓪,  $\mathfrak{A}$ , ana  $\mathfrak{Q}$ atis in liquorem, filtrandum &  
rectificandum f. a. *Dof.* q. f. ut liquor con-  
veniens acidus reddatur, obstructions reserat.  
*Diureticum, & Diaphoreticum habetur no-*  
*bile.*

\* *Aq. Tussilaginis comp.*  $\mathfrak{R}$  Herb. Ger-  
rard. hyssop. ana  $\mathfrak{z}$ viiij, Fl. tussilag.  $\mathfrak{z}$ xxiv,  
glyc.  $\mathfrak{z}$ iv, anis.  $\mathfrak{z}$ iiij, uv. passar.  $\mathfrak{h}$ j, cere-  
vil. fortis.  $\mathfrak{h}$ xij.  $\mathfrak{Q}$ a f. a. *In Pleuritide,*  
*Empyemate, &c. Valet.*

\* *Ar-*



*Arcanum Aluminis*, fit ex Alumen dulc. ℥j, ⊖ fusi, ℥vj. mixtis, reverberatis, & ∇â ablutis, f. a. *Vires easdem habet cum, Alum. Dulc.*

*Arcan. Corallinum*, f. ex ꝑ crud. ℥j, Sp. ⊕ ℥iij, ꝓatis cum 3 cohobiis, Arcanum in fundo manens edulcando per calcinationem, vel abluionem, f. a. *Dof. gr. iv ad vj, vel ultra, purgat præcipuè per inferiora. Secretum est magnum in Lue ♀ Hydrope, Podagra, Ulceribus, Scabie, Cancro, &c.*

*Arcan. Corallin. Paracelsi.* R. ꝑ crud. ⊕ calcin. ⊕, ana ℥ij. m. & a: a: a: misc. cum ⊕, & ⊖is parùm calcin. ana ℥j. ✕ q. f. ut f. pasta, quæ rursus ætetur, separando rubrum à flavo, & abluendo utrumq; seorsim, & Spt. V. accendendo f. a. *Dof. gr. 4, ad 8, Vires æmulatur ꝑ dul. Secretum est in Lue ♀, Hydrope, Scabie, &c.*

*Arcan. Cosmeticum.* R. Talchi Ven. subt. Pulv. f. a. p. j, Oleum Camph. p. ij. Digere in MB ad summam albedinem. f. a.

*Arcan. Duplex.* elicitur ex Cap. mort. ∇ duplicis in ∇ calidâ soluto filtr. & exhalato, f. a. *Egregii usus in Melancholicis affectibus, febribus omnibus, Calculo, Scorbuto, &c. Dof. ℥j ad ℥ij.*

*Arcan. Joviale*, fit ex Amalgama (ex p. æ. ꝑ mundat. & 4 Anglic.) Vato, in

Sp. ☿ rectif. digesto, & per ☉ ad siccit. ☿ato, ☿am infundo tritam edulcando accensione crebrâ Sp. V. f. a. *Dos. ana gr. iij ad viij. Sudorificum magnum.*

*Aurum Fulminans*, f. ex ☉ in ☿ solut. & cum ☉ ☿ri ☿ato, edulcando siccandq; f. a. *Sunt qui gr. iij vel iv. ad sudores ciendos exhibent.*

*Aurum Mosaïcum*, f. ex ☿, ☿, \*, & ☿, mixtis ac ☿atis f. a. *Sudorificum est nobile. Dos. ad gr. x, vel xij.*

\* *Aurum Potabile.* Purgetur ☉ bis per ☿, quod calcina, primò cum ☿ & ☿; 2dâ vice cum ☉ marino fuso, ac 3tiâ cum ☉ ☿ri. dein extrahe cum ☿re ☿ni f. a. *Remedium censetur universale adversus omnes quoscunq; morbos. Sudorificum est ☿ alexipharmacum insignissimum. Dos. gt. vij vel viij in vino generoso.*

\* *Aurum Vitæ*, fit ex ☉ 3ij, ☿ purific. 3ij, seorsim propriis menstruis solutis, mixtis & in ☉ ☿atis ad siccitatem, calcem residuam calcinando, & edulcando ablutione cum ☿â, & accensione Spts. V. f. a. *Omniibus aliis Catharticorum speciebus antecellere dicitur: Estq; domitor Vermium, Luis ☿, Petechiarum, Pestis, Quartanæ, ☿c. Dos. à gr. 3 ad 6, vel 8, cum Sacch. Rosato, ☿ in ovo, vel brodio, vel in pilulis imprimis si conjungatur cum Scammonio,*

monio, & humectetur  $\nabla$  vitæ, quæ desuper  
comburatur.

## B.

*Balsam. Paralyticum.* R. Tereb. Ven.  
℥iv. olib. aloës, castor. myrrh. xyloal.  
Fl. hyperic. ana ℥j, gum. elem. labdan.  
ana ℥iij, styrac. liq. ℥ij, Balsam. Peruvian.  
℥iv, Calam. arom. caryoph. galang. ana  
℥vj, Cinam. ℥i℥, Fl. rorism. salv. ana 3x.  
omnia ritè præp. misc. cum terebinthina,  
addendo Sp. V. ℥iv. Digere tepidè per  
ð vj, dein. 2a per  $\infty$  capacem: primò  
lentif.  $\Delta$ e 3rum per hor. 48, ut saltem  
tepescat  $\infty$ : deinde fortiori aliquantum,  
tandem fortissimo: excipiat per prima aqua  
per se quamdiu effluit instar  $\nabla$ æ: 2da per  
se instar olei flaviusculi tenuis substantiæ:  
3tia est crassa. Vocetur 1, *Mater Bal-*  
*sami*: 2, *Balsam. Paralyticum*: 3, *Oleum*  
*Balsami*. Confortat mirabiliter nervos:  
*Paralyfin* & contracturam sanat, extrinse-  
cus illitum, & intrinsecus exhibitum.

*Balsam. Saturninum*, f. ex  $\Theta$  ℥ni ℥iv,  
Sp. Tereb. ℥xij, digestis f. a. Egregii  
usus in Chirurgia: Convenit ulceribus inve-  
teratis, nec non tumoribus. Curat vulnera,  
eademq; ab accidenti præservat. præcipuè si  
C 3 addatur

*addatur camphora: Succurrit etiam Fistulis, Cancro, Morphæis, &c.*

\* *Balsam. Succini.* R. Succin. alb. subt. ʒat. ʒij, ☉ tereb. ʒvj. Tamdiu insolentur, donec perfecte solvatur Succinum. Cerebrum & sensus roborat. Omnibus nervorum affectibus convulsibus, Epilepsia, passioni hysterica, &c. auxiliatur. Diureticum est insigne.

*Bals. Sulph. Antimonii.* R. ♀ris ʒ ij, combustibilis, Salis ♀ri ana ʒj, Sp. tereb. ʒiv. Digere simul f. a. Ad ulcera sordida, Fistulas, &c. Dos. ad gut. x.

*Bals. Sulph. Anisatum.* R. Fl. ♀ p. i. ☉ Anisi p. 4. Digere donec solvatur ♀, ut f. Balsam. rubicundum. In Catarrhis pectoralibus, Tussi, Asthmate, Phthisi, Pleuritide, Colica, Peste, Epilepsia, Apostematibus omnibus, putrefactionibus corporis, &c. valde proficuum. Dos ad ʒj.

\* *Bals. Sulph. Bateanum.* R. Fl. ♀ ʒj, ☉ olivar. opt. ʒv. coq. l. Δ (continuo agitando) ad consist. Balsami. Ad ulcera omnia tum interna, tum externa, efficacissimum. Dos. ad gut. 20, & ultra.

\* *Bals. Sulph. Benzoinatum, f. ex Fl. ♀, & ☉ Benz. ut Anisatum. Pulmonicum, ac Asthmaticum insigne est: & ad Catarrhos exiccandos maxime valet.*

\* *Bals.*

\* *Bals. Sulph. Knœphelii*, f. ex Hepat. ♀ Lat. p. 4, ☉ lini rec. p. 3. ad crassitiem coctis, & cautè ex ☉ q̄atis; miscendo oleum (ab ∇ prius separatum) cum dimid. quantit. colcothar. ☉ li supra Δem, & post refrigerationem q̄ando ex ☉ vitrea. Oleum quod extillat misc. cum quant. dimid. ☉ Anisi, & digere f. a. ut f. Balsam: *Balsamum est pulmonum præstantissimum consumens & exiccans. Catarrhis, Asthmatis, Tussi, Phthisi, Colicæ, &c. subvenit. Promovet expectorationem, interceptit defluxiones ad articulos, ventositates præcavet ac discutit. Dos. à gt. 4 ad 12.*

\* *Bals. Sulph. Minerale*. R. ☉ Lini 3x, ♀ Lat. 3ij, coq. leniter, continuò agitando, donec in mellis consist. devenerint. *Applicetur locis dolentibus & debilibus Podagræ super alutam vel linteum, renovando tertio vel quarto quoq; die.*

\* *Bals. Sulph. Rulandi*. R. Fl. ♀ 3j, ☉ nucum vel rapar. 3vj, V. generos. 3ij, macer. o 8, aliquoties agitando & coq. leniter ad Vini consumpt. *Anodynum est insigne, maturativum ac digestivum in vulneribus partium nervosarum. Auribus inditum dolores earundem tollit.*

\* *Bals. Sulph. Succinatum*, f. ex Fl. ♀ cum ☉ Succini, ut *Anisatum*. *Valet in Colicæ, &c.*

\* *Bals.*

\* *Bals. Sulph. Terebinthinatum*, f. ut suprà, cum ☉ Tereb. v. *Vires Bals.* ♀ *Anisati.*

\* *Bals. Tartari.* R. ☉ ♀ p. d. ℥ix, crem. ♀ ℥at. ℥viiij. Digere ac evapora ad ficit. affunde Sp. V. vel ✕, extrahe inde tincturam, filtra, & ad mellis consist. abstrahere f. a. *Præstantissimum est adversus arthritidem & calculum, laxatq; alvum.* Dos. ad ℥ß, externè inungantur partes dolentes. Confert. præterea in omnibus morbis chronicis ac obstinatis.

\* *Bals. Veneris*, f. ex Lamin. ♀ cum Sp. Tereb. digestis f. a. ut f. Balsam. viride. *Ad ulcera, vulnera, fistulas, &c. mundificanda apprimè conducit mixtum cum convenientibus.*

\* *Bezoarticum Joviale.* R. Reguli ♂ in ♀bulo fusi ℥iij, quibus adde 4 Anglican. similiter fusi ℥ij, ut f. de novo Regulus: postea læviga & admisce ♀ti ℥vj, ♀a ex ☉: Butyrumque inde ♀atum cum Sp. ☿i ternis ♀ationibus fige: postea calcina, & ignitum in Sp. V. extingue, & exicca: fit ♂ griseus. *Diaphoreticum est stupendum. Valet in omnibus matricis ægritudinibus, alijsq; mulierum morbis quàm plurimis. In Febribus, Peste, Scorbuto, &c.* Dos. ana gr. iij ad vj, &c.

\* *Bezo-*



\* *Bezoart. Lunare*, f. ex ☽ in Sp. ☿i solut. & Butyr. ♂ ij, procedendo ut suprà cum Bez. Jovial. *Specificum est in Epilepsia, Convulsibus, Hemicrania, Apoplexia, &c. Anodynum est & sudorificum, optimè valet in curando Erysipelate. Dos. à gr. vj ad xij:*

\* *Bezoart. Martiale*, f. ex croco ♂ cum Butyro ♂ ij, soluto: deinde figendo ut suprà, vel fit, solvendo Chalybis limatur. ☿i, in ☾ q. f. affundendo paulatim Butyr. ♂ ☿viii, & procedendo cum Sp. ☿i. *Fluxus hepaticos, & alios potenter sistit, viscera roborat, &c. Dos. ad ʒß.*

\* *Bezoart. Minerale*, f. ex Butyr. ♂ ꝑj, & Sp. ☿ ꝑiij, vel q. f. mixtis & ternis cohobiis ꝑatis, ut in Bez. Jovial. vel, fieri pt. ex Cap. Mort. Spts. ☿i Bezoartici. *Magnum est Alexiterium saluberrimumq; Remedium, quod sudores promovendo magnos effectus monstrat in omnibus pestilentialibus & venenatis affectionibus. Dos. à gr. vj ad xij, & ultra.*

\* *Bezoart. Mercuriale*, f. eliciendo tincturam ex Vitro ☿ij vitæ cum Butyro ♂ ij, & figendo cum Sp. ☿i f. a. *Insignis usus in Lue ♀.*

\* *Bezoart. Saturni*, f. tincturam extrahendo ex vitro ꝑni (quod fieri pt. ex minio & silicibus) cum Butyro ♂ ij, non rectific.

ctific. & cum Sp. ☉ figendo f. a. *Hystericum est. Conducit lienis affectibus. Dos. ad gr. vj.*

\* *Bezoart. Solare*, f. ex Laminis ☉ in Sp. ☉ Bezoartico solutis, paulatim affundendo hanc solutionem Butyro ☿ ij, & procedendo ut supra. *Sudorificum est egregium. Usus est in Lue ♀, Peste, Podagra, Hydrope, Febris, obstructionibus lienis, &c. Dos. à gr. iij ad viij.*

\* *Bezoart. Veneris*, f. tincturam elicendo ex squammis ♀ is cum Butyro ☿ ij, rectificato, & figendo per Sp. ☉ f. a. *Exhibetur ab aliquibus in Lepra, morbisq; capitis & cerebri. Dos. ad gr. vj. Externè valet ad ulcera antiqua fistulas, impetigines, &c. mixtum cum Unguento appropriato.*

## C.

\* *Calx Auri. (i. e.) Aurum Fulminans.*

\* *Calx Jovis*, f. ex ☿ liquefacto, & rudiculâ ferreâ agitato, donec planè in calcem abierit. Vel fieri pt. ex ☿ in ☿ soluto, ☿ato, & edulcato f. a. *In utero strangulato specifica. Dos. ad ʒß.*

\* *Calx Lunæ*, f. solvendo ☽ in ☿, & ☿ando per ☽ balsam. Vel f. Amalgama mando cum ana ☿ ij, adjunctâ ☉is 4tâ parte. Vel, cementando per ☿ ☉atum, per ☿ per

per ♄, &c. Vel reverberando per ☉ 8  
cum ☉, ♄, \*, &c. f. a. *Hysterica, Epi-  
leptica, Apoplectica, &c. habetur. Dos.  
ad ʒss.*

\* *Calx Saturni. (i. e.) Plumbum ustum.*

\* *Cardiacum Cœleste. R. Sacch. albis.  
ʒxvj, ▽ Borag. ʒiv. coq. penè ad consist.  
dein bullientibus injice Fl. Borrag. recen-  
tis. à nigris puncturis liberat. ʒvj, co-  
quendo perge usque Flores torrescant. ab  
Δe remotis admisc. Fol. Auri n° xvj, Amb.  
gris. gr. 24. *Cardiacum est Elegantissi-  
mum, Spiritus Vitales ac animales recreans,  
omnibus affectibus ex atra bile ortis eximie  
conducit. In Melancholia Hypochondriaca  
nulli secundum.**

\* *Canterium Lunare. Solve ʒ p. i. in  
▽ p. iij, & evapora ad siccitatem, auge  
postea Δem ad calorem fusorium, donec  
cessant fumi, & statim materiam funde in  
vascula ænea aut ferrea magnitud. conve-  
nientis. *Causticum est perpetuum, si ab  
aëre servetur. Tollit verucas tangendo eas.**

\* *Cerussa Antimonii, fit ex Regulo vice  
ʒij, crud. comburendo, &c. f. a. v. Vires  
Antimon. Diaphoret.*

\* *Cerussa Martis, f. ex Regulo ʒis, om-  
ninò ut Cerussa ʒij. Paratur etiam cum  
nonuplo ʒo. *Diaphoreticum est instar Ce-  
rus. Antim.**

Chal-

\* *Chalcanthum Rubefactum*, f. calcinando ☉ ad rubed.. *Maximè adstringit, & desiccatur. Valet in Dysenteriis, Hæmorrhægiis, &c. In evulsione dentis (si fluxus sanguinis accidit) utiliter applicari pt. cum aceto & linteis.*

\* *Chalybs sine Acido*, paratur humectando ♂ decies ☉e absinthii in ∇ cichor. soluto, & siccando in aëre sicco ac tepido. Postea f. ☿ sub. *Potenter aperit obstructions. Dos. ʒj ad ʒß.*

\* *Chalybs Tartarizatus*. R. Chalybis limatur. mund. ☐ alb. ʒat. ana ʒvj, ∇ fumar. q. f. f. ☉ instar electuar. coq. in vase fictili in clibano (calore lento) ad siccit. Repet. opus ter. dein f. ☿ sub. f. a. *ex hoc fit Mars Potabilis.*

\* *Cinnabaris Antimonii*, fit ꝑando Caput mort. post sationem Butyri ♂ij, relictum, & rectificando f. a. *Sudores movet copiosos. Valet in Podagra, Lue ♀, Epilepsia, Paralyfi, &c. Dos. ʒß ad ʒj.*

\* *Clissus Vitrioli*. R. ☉li ♂lis viridis ternâ solutione & crySTALLisatione purificati, & ad flaved. calcinati q. v. Solve in ☿, filtra & crySTALLisa, repetendo opus ad 3tiam vicem, calcina iterum ad flaved. & ʒa ex ☉ cum cohobatione ad siccit. Tum ʒa Δe aperto donec Spts. omnes extillantur, ex Cap. mort. in aëre exposito eliciatur

tur Sal, quod crebrò solvendo, filtrando & crySTALLISANDO depuretur. R̄. ☉is hujus p. i. Sp. prædict. part. 4. extrahe tincturam digerendo per mensem. Deinde filtra ad usum. *Noxios humores expellit per insensibilem transpirationem, Venerem stimulat, uterum roborat, ejus motus inordinatos sistit, ☿ in utroq; sexu vim seminis ad generationem operatur.* Dos. gr. 2 ad 4.

*Colcothar Vitrioli.* Nihil aliud est quàm ☉ ad rubedinem calcinatum. Vel Cap. mort. post operationem ☉i ☉li relictum. v. *Chalcanth, rubefactum.*

*Crocus Jovis.* Fiat Amalgama ex ʒ ʒβ, & ʒiii ʒiβ: à quo (evaporato ʒio) relinquitur crocus Jovis. *Sudorificum est magnum.* Dos. à gr. iv ad x. In Lue ♀, Podagra, Peste, Utero strangulato, &c. mirè valet. Usus externus ad ulcera inveterata, canculos, fistulas, &c.

*Crocus Veneris,* fit reverberando ☉lum ♀is s. a. *Diureticus est, colicus, uterinus, febrifugus.* Dos. ʒβ.

*CrySTALLUM Lunæ. v. Vitriol Lunæ.*

\* *CrySTALLUM Minerale.* Solve ☉ prunellæ in ∇ filtra & crySTALLISA s. a. Si addas Sacchari ana, ante crySTALLISANDUM, vocatur *Saccharatum.* *Putredini resistit, sitim ac æstum in febris compescit, tartaream*

*ream saburram incidit, coagulatum sanguinem resolvit, dolores mitigat, &c.*

## D.

\* *Decoct. Reguli*, fit coquendo Regul. vel Pocul.  $\text{ʒ ij}$ ,  $\text{℥ss}$ , (plus minùs) in V. alb.  $\text{℥ss}$ , ad consumpt.  $\text{ʒtiæ}$  partis. *Pro vomitorio.*

## E.

*Elixir Camphoratum*, f. solvendo camph.  $\text{ʒss}$  in Pyrœni croco tincti  $\text{ʒvj}$ , f. a. *Utilissimum est in peste, tum præservando, tum curando: item in passione hysterica.* Dof.  $\text{ʒj}$ .

\* *Elixir Propriet.* Dulce, fit ex myrrh. aloës, croc. ana  $\text{ʒj}$ , Alcoh. v.  $\text{ʒviij}$ , maceratis filtratisq; f. a. *Usus est proficui in morbis malignis, hypochondriacis, uterinis; stomachi cruditate, & inde appetitu immunito. Extrinsecus ulceribus sordidis mundificandis inservit.*

*Elix. Prop. Pestilentielle*, f. ex myrrh. aloës, croc. ana  $\text{ʒss}$ , Sp. c. c.  $\text{ʒij}$ ; unitis cum Alcoh. v.  $\text{ʒiv}$ . digestis & filtratis f. a.

*Elix. Prop. Tartarizatum*, f. ex myrrh. aloës, croc. ana  $\text{ʒj}$ , Tinctur.  $\text{Ois}$   $\text{ʒri}$   $\text{ʒxij}$ , digerendo filtrandoq; f. a.

*Elix. Salutis.*  $\text{℞}$  Fol. Senæ  $\text{ʒiv}$ . lign. sanct. rad. enul. sicc. sem. anis. carui, coriand. glyc. ana  $\text{ʒij}$ , uv. pass. exacin.  $\text{ʒviij}$ ,



▽ Vitæ ꝑvj, macer. in frig. per 6 4, de-  
in. f. colat. per manic. Hipp. Sunt qui  
addunt Sal. ꝑri, Rhab. Scammon. &c.  
*Dof. c. 1, 2. h. somni* 3, 4, *manè.*

*Elix. Vitæ.* R<sup>o</sup> Nuc. m. macis, cin-  
nam. opt. ana 3j, caryoph. 3ß, Flaved-  
cort. aurant. & citri, ana 3iij, croc. opt.  
3ij, Pyrceni ꝑiij. Digere ac filtra f. a.

*Elix. Vitrioli.* R<sup>o</sup> Cinnam. zz. cary-  
oph. ana 3iij, calâm. arom. 3j, galang-  
3iß, Fol. salv. menth. crisp. ana 3ß, cu-  
beb. nuc. m. ana 3ij, xyloal. cort. citri,  
ana 3j, f. 8 adde sacch. cand. alb. 3iij,  
Sp. V. ꝑiß, ☉ Oli ꝑj, extrahe Tinctu-  
ram digerendo per 6 20. f. a. deinde fil-  
tra ad usum. *Stomachum ac intestina maxi-  
mè confortat, 8 appetitum excitat, ab Epi-  
lepsia 8 Apoplexia præservat. Cerebrum  
purgat. Caput, totumq; corpus multis phleg-  
maticis catarrhis repletum exiccat, illudq;  
à dolore mirè tuetur. Dof. 3ß ad 3j.*

\* *Ens Veneris.* R<sup>o</sup> Oli 8tis opt. rever-  
berat. & loti p. 1. \* p. 2. ana f. a. cum  
tribus cohobiis. *Anodynum est 8 pacifi-  
cum. Usus est eximii in Rachitide, 8 ver-  
mibus infantum necandis. Proficuum in  
Pleuritide, ac uteri suffocatione. Obstructi-  
ones aperit, &c. D. gr. iv. ad xij.*

*Essentia Absinthii.* R<sup>o</sup> Sp. ardentis  
Herbæ fermentatæ 3xij, ☉ stil. 3ij, ex-  
tracti

tracti spiffi & Ois soluti, ana ꝑß. Digere f. a. ad uniendum: dein filtra. Eodem modo parari pt. *Essentiæ Cardui, Pulegii, Hyssopi, &c.*

\* *Essentia Martis.* R. Chalybis limat. ꝑiv. Affunde guttatim in vitro capaci Sp. Oī ꝑiij, Sp. Oī rectif. ꝑij, spatulâ ter vel sæpius versando. Tum diluatur Ø (antè nimium compacta sit) Phlegm. Oī ꝑx: & efficietur tinctura rubicunda, vel summe flava, quæ filtretur ad usum. *Potenter aperit obstructions cujuscunq; generis. Menses movet, & curat cachexiam, chlorosin, hydropem, &c. Dos. gut. 5 ad 15.*

\* *Extractum Absinthii.* Fit ex summitat. siccis in Sp. V. digestis, ut eliciatur tinctura, quæ filtrata ad consist. Extracti evaporetur, addendo sing. unciiis extracti, Ois Absinth. ꝑß. Eodem modo fiant *Extr. Cardui, Centaur. Gentian, &c.* Vel, fieri pt. ex succis depuratis, evaporando in MB f. a.

\* *Extract. Albandal.* R. Pulp. colocynth. à semin. opt. liberat. & dat. ꝑiij, glyc. anif. ana ꝑß. ∇æ Ψ filtrat. ꝑiij. Diger. o 20. f. expref. & exhal. ad debit. consist. f. a. *Humores aquosos educit ad miraculum. Dos. à gr. 5 ad 15; & ultra.*

\* *Extract. Chalybis.* R. Succ. oxalid. depurat. ꝑiv. Tamarind. ꝑj, coq. parum, &

& clarifica. In isto macer. tepidè Chalybis limat. ℥y. per 6 iiij, sæpe agitando, f. colat. quæ in MB inspissetur ad debit. consist. Vocatur & *Magist. Martis*. Aliter paratur cum succo pomor. vice Oxalidis & tamarindorum. *Dof. à 3ß ad 3j.*

\* *Extract. Drastrictum.* R. Scammon. ʒat. ʒiiij, succ. aurant cum cortic. express. ʒbij. Digere tepidè 6 vj, f. express. & exhal. ad Pil. consist. *Dof. à ʒß ad 3ß.*

*Extract. Ecphraëticum.* R. Xyloal. galang. caryoph. ana 3ß, cinam. gent. cort. Winteran. ana ʒj, Rad. Raph. rustic. ʒij, Fol. calaminth. puleg. abs. ana m. i. ♂ cum ♀ præp. ʒviij, V. alb. & Decoct. ʒri albi, ana ʒbiij. macer. f. a. colat. ad debit. consist. addendo aloës ʒj, myrrh. ʒij. *Micklethw. In morbo virgineo ac scorbuto est efficacissimum: magnas enim vires obtinet in aperiendis obstructionibus, præsertim lienis, hepatis, uteri, ac mesenterii: adeoq; morbis inde natis subvenit.*

\* *Extract. Febrifugum.* R. ʒ Cort. Peruvian. ʒiv. centaur. min. rad. gentian. ana ʒij, serpent. Virgin. ʒj, Sp. V. ʒbiv. vel q. f. extrahe tincturam, & exhale f. a. *Titulus vires indicat. Dof. ʒß ad 3ß.*

*Extract. Fellis.* R. Fell. bubuli in ☉ exicc. ʒij, Sp. V. ʒbiij, extrahe tincturam, & exhala f. a. *Confert ad menses suppressos*

*pressos. Dos. ʒj, vel ʒß, indies operatur per sedem.*

\* *Extract. Ictericum.* R̄ Sterc. ovill. rec. ʒiv, Rad. chelidon, ʒx, curcum ʒiß, lumbric. præp. ʒvi. centaur. min. m. ij. ♂ præp. ʒij, succi limon. ʒvj, ∇ cichor. ʒiv. Infund. 8 48. f. expref. quæ exhal. ad Pil. consist. addendo Lumbric. præp. ʒiß ter in die, superbibendo Decoct. Icteric. ʒiv.

*Extract. Peregoricum.* R̄ Philon. Rom. ʒiß, Mithrid. ʒv, Thériac. Lond. Diafcord. ana ʒiij, ∇ cardui ʒbj, Sp. V. ʒiij, macera, cola, & exhala f. a. *Proficuum in morbis contagiosis, Catarrhis, doloribus, vigiliis, &c.*

## F.

*Febrifugum Salis.* (i. e.) *Sal Armoniac. Volatile.*

*Febrifugum Crollianum.* v. *Antifebr. Conch.*

*Febrifugum Riverii.* R̄ Flor. ʒii ter cum \*co ñator. & edulcatorum, Vitri ʒii ana ʒiv, ∇ (ex ① & Alumine factæ) ʒati, ana ʒß, ʒii cum ∇ (ex ①, ②, & Alumin. factâ) ʒati ʒvj, ①is in ∇ soluti ʒj, m. ac ʒa ex ① gradatim ad ficit. cum 12 cohobiis. ʒri quinquies loto & ficcato adde Alcoh. V. ʒij, ʒa ex ① novâ sexies cohobando. effunde Alc. V. & ʒam calcis pone in ʒbulo benè lutato,  
Δc

De rotæ, per 3 8. Dein Alc. prædictum  
 satum super incende s. a. D. gr. vi ad  
 9j, cum ana Scammon. ¶rat. &c.

*Flores Antimonii.* ana ʒ Δe forti, aut  
 per se, aut cum ∴; vel ¶ro calcin. ad-  
 mixto. Flores albis. colligantur, usuiq;  
 servantur. *Vomitum nonnunquam promo-*  
*vent. Dos. gr. 2 ad 4. Sudorifici sunt.*

*Flor. Antim. Diaphoret.* Fiant ex  
 Flor. ʒiii ☉o ¶ris irroratis, & ¶bulo  
 clauso calcinatis s. a. *Viribus pollent cum*  
*prioribus.*

*Flores Benzoini.* f. ex ʒre Benz. opt.  
 vasi vitreato indito, desuper ponendo char-  
 tam duplicem pyramidatam, & l. Δ.  
 ana s. a. Flores chartæ adhærescentes  
 (chartâ sæpius mutatâ) eximantur. v. ali-  
 ter in *Pharmacop. Londin. Pulmonici, Be-*  
*chici, ac Asthmatici sunt insignes, & Ca-*  
*tarrhos sistunt. Sudorem movent. Dos. gr.*  
*5 ad 12.*

*Flores Bismuthi.* R. Marcasit. calcin.  
 & \* ana, & ana s. a. in cucurb. forti.  
*Cosmetici sunt celebrati ad dealbandam fa-*  
*ciem, cum duplici quantitate Pomati. Con-*  
*ferunt ad cutis Vitia, Lichenes, Impetigi-*  
*nes, &c.*

*Flores Joviales.* R. ʒ p. j. ☉ p. ij.  
 ana s. a. Ablue Flores ▽â calidâ. *Præ-*  
*stant magnopere in uteri suffocatione, tum*  
*intrin-*

*intrinsecus quàm extrinsecus adhibiti. Dos. gr. ij ad vj repetitis vicibus.*

*Flores Salis. fiunt augendo  $\Delta$ em post operationem  $\odot$ i  $\ominus$ is, &  $\Delta$ ando. Flores collo  $\oslash$  adhærescentes colligantur. Alexiterii sunt. Dos. ad  $\Theta$ j.*

*Flores Salis Armoniaci, f. ex  $\ominus$  fusi &  $\times$   $\tilde{a}$ ,  $\Delta$ atis f. a. Diuretici, & Diaphoretici. Dos. gr. 5 ad 15.*

*Flor. Sal. Armon. Martiati, f. ex Chalybis limat. &  $\times$   $\tilde{a}$   $\Delta$ atis,  $\Delta$ ri exponendo Cap. mort. miscendo cum dimid. quant.  $\times$ ci, ficcando, &  $\Delta$ ando f. a. Tollunt perfectè cruditates ventriculi, cum Vino Absinthiaco, aut Decocto sassafras, sudorem promovendo. Optimè valent in Quartana.*

*Flores Sulph. Albi.  $\mathcal{R}$ o Lap. prunell. 8 2 calcinat. in  $\mathbf{\Gamma}$ bulo optimè operculato cum carbonibus vivis supra operculum positis,  $\mathfrak{z}$ ij,  $\mathfrak{A}$   $\mathfrak{z}$ vj. m. ac  $\Delta$ a  $\Delta$ e  $\therefore$ æ f. a. Lacti  $\mathfrak{A}$ ris viribus equivalent. Dos.  $\Theta$ j ad  $\mathfrak{z}\mathfrak{B}$ .*

*Flôres Viridis æris. Solve  $\oplus$  in  $\times$ : dein filtra ac crySTALLISA f. a. Summum est mundificativum in vulneribus.*

*Flores Vitrioli.  $\Delta$ a  $\ominus$  fusi &  $\oplus$ li  $\tilde{a}$ , f. a. Inserviunt plagis putridis mundandis, incarnandis, & cicatricibus inducendis.*

*Flores Zinci, f. uti Bismuthi; eademq; vires obtinent.*

*Galba-*



## G.

*Galbanetum Hartmanni.* ℞ Galb. p.  
i. Sp. Tereb. p. ij. Digere ac ☿a ex ☉  
f. a.

*Galbanet. Sennerti,* f. ut suprà, adden-  
do ☉ ft. Lavendul. ℥j, & ☿ando f. a.  
*Ad membra paralytica inungenda insigne re-  
medium.*

*Gilla Theophrasti,* Nihil aliud est,  
quàm ☉ album depuratum.

## H.

*Hepar Sulphuris,* fit ex Flo. ♀ liquat.  
℥iv, addendo Sal. ♀ri purif. ℥iβ, & mis-  
cendo opt. cum spatula agitando. remot.  
ab Δ serva ☉m ad usum. *Inservit Tinctu-  
ræ & Syrupi ♀ris præparandis.*

*Hercules Bovii. v. Aurum Vitæ.*

## I.

*Ignis Philosophicus. v. Phosphorus.*

\* *Infusio Arthritica.* ℞ Anthûs ℥bj, \*  
volat. ℥j, Pyrœni ℥vj. Digere in Lage-  
na opt. obturata in fimo equino ☉ 40, de-  
in insola ☉ 20, f. expressio. *Applicetur in  
declinatione Arthritidis, extrahit valde fri-  
gidos, crassos, & flatuosos humores in arti-  
culis, & fortificat.*

*Jovis Amalgama. (i. e.) Crocus Jovis.*

*Jupiter Diaphoreticus,* f. ex Cap.  
mort. Florum ℥is, in ∇ cocto, ☿ato, &  
edulcato

edulcato f. a. *Dof. à gr. iij ad x. Potenter sudorem movet. Utilis in utero strangulato, Peste, Lue ♀, Podagra, &c.*

\* *Jupiter Nitratus*, f. Cap. mort. posturationem Flor. 2<sup>is</sup> coquendo in ∇, filtrando, exhalandoq; ad ficcit. f. a. Dicitur & *Nitrum Joviatum*. *Vires & dosis cum priori.*

## L.

*Lac Aluminis*, fit ex ∇æ album. ovor. ℥vj, ʒris Aluminis ℥j, Sp. V. ℥ij, opt. & diu in vase vitreo conquassatis, ut f. instar Lactis. *Arcanum habetur in Gonorrhœa. Profluvio albo, mensibus immodicis, &c. Dof. coch. 2, vel 3 ter in die. Assumptum ad ℥ij, hora ante paroxysmum sepe curat Tertianam.*

*Lac Asæ fœtidæ*, v. *Julap. Hyf. Fœtid.*

*Lac Benzoini*. R<sub>o</sub> Sp. Benz ℥j, ∇æ Hyfop. vel scabios. ℥xij, m. f. a. *Asthmaticum, Pectorale, &c.*

*Lac Mercurii*, f. ex ʒ<sub>ss</sub> corros. 3vj, fricatis & agitatis in disco stanneo cum ∇a fumar. ℥xij, ut f. lactis instar. f. a. v. *Vires in Aq. Mercurial.*

*Lac Saturni*. v. *Magist. Saturni.*

*Lac Scammonii*. R<sub>o</sub> ʒ scammon. 3vj, affunde in mort. frig. paulatim ∇ cinnam. hordeat. ℥viij, inter affundendum diu agitando. Liqueor lactescens separetur à picea.

eca substantia, & servetur ad usum. Vocatur & *Liquor Acuens*. *Dof. coch. j*, suaviter purgat.

*Lac Sulphuris*.  $\mathcal{R}$   $\mathcal{Q}$  p. i.  $\Psi$ , vel  $\Theta$   $\mathcal{Q}$  p. iij. coq. in  $\nabla \text{æ}$  q. s. ad  $\mathcal{Q}$ ris solutionem: filtra calidè,  $\mathcal{T}$ a cum  $\times$  vel Sp.  $\mathcal{O}$ i, edulcora & sicca s. a. *Balsamum est pulmonum consumens & exiccans, valet in Catarrhis, Astmate, Tussi, Phthisi, Colica, &c.* *Dof. 3ß ad 3j.*

*Laudanum liq. Cydoniat.*  $\mathcal{R}$  *Opium* correct.  $\mathcal{Z}$ iv, *croc.*  $\mathcal{Z}$ ij, *succ. cydon.*  $\mathcal{H}$ iiß, *Flor. cerevis. coch.* 4. fermententur simul in digestionem, donec subsident *crocus* & *opium*, exprime & filtra: adde liquori *cinnam.*  $\mathcal{Z}$ ij, *caryoph. xyloal. sant. citr. ana*  $\mathcal{Z}$ j. Digere 8 14. filtra & exhala ad dimid. *D. Willis.* *Dolores maxime sedat, somnum inducit, omnes fluxiones sistit, ardorem mitigat, naturam confortat, inquietos Spiritus in Phrenitide, Arthritide, Epilepsia, &c. compescit. Odontalgiam mire sedat (impositum.)*

*Laudan. liq. Tartarifat.*  $\mathcal{R}$  *Opium*  $\mathcal{Z}$ ij, *croc.*  $\mathcal{Z}$ j, *cinam. caryoph. mac. nuc. m. xyloal. ana*  $\mathcal{Z}$ j, *Tincturæ*  $\Theta$ is  $\mathcal{Q}$ ri  $\mathcal{H}$ ij. Digere dies aliqt. filtra & exhala ad dimid. *Vires & dosis cum superiori.*

*Laudanum sine Opio.*  $\mathcal{R}$  *Myrrh. opt. mumia, sant. rub. citr. ana*  $\mathcal{Z}$ iß, *macis, carda-*

cardamom. piper. galang. ana  $\mathbb{Z}$ iv $\beta$ , Sp. V.  $\mathbb{H}$ ij, extrahe Tincturam f. a. cui filtratæ admisce  $\mathbb{A}$ ris  $\mathbb{O}$ li narcotici  $\mathbb{Z}$ ij, & digere per mensem: deinde ad mellagin. exhala, addendo croc.  $\mathbb{H}$ ij $\beta$ , Sal. perlar.  $\mathbb{Z}$ i $\beta$ , ut f.  $\Phi$ . f. a. *Anodynum est potentissimum. Omnes fluxiones, catarrhos, tusses, &c. sistit: Atq; easdem habet virtutes cum præcedente.*

*Laudan. Starkii. v. Pil. Matthæi.*

*Liquamen Silicum.*  $\mathbb{R}$ o Silic. ust. p. iij.  $\mathbb{O}$ is  $\mathbb{A}$ ri per  $\mathbb{O}$  calcinat.  $\mathbb{Z}$ iv. exactè misce, & per vices in  $\mathbb{X}$ bulum candens injice, urgendo  $\Delta$ em f. a. Postea  $\Phi$ m  $\Delta$ ri exponere, ut solvatur per deliq. f. a. *Ad tartaream mucilaginem incidendam, calculum resolvendum, ac proinde ad obstructions referandas multum facit. Dof. gt. 20 ad 30, in liquore conven.*

*Liquamen Sulphuris.*  $\mathbb{R}$ o Fl.  $\mathbb{A}$ , facchar. cand. alb. ana  $\mathbb{Z}$ j. m. f.  $\mathbb{X}$ . Induratis 4 ovis (exemptis vitellis) include, & probè ligata suspende supra prunas, ut Liquamen exudat: quod serva ad usum. *Pectorale est egregium in Asthmate, Tussi, Phthisi, Pleuritide, &c. Dof. gt. 20, 30, &c.*

*Liquor Acuens. v. Lac Scammonii.*

*Luna Potabilis.*  $\mathbb{R}$ o  $\mathbb{D}$   $\mathbb{F}$ atæ  $\mathbb{Z}$ j,  $\mathbb{O}$   $\mathbb{Z}$ ij, \*  $\mathbb{Z}$ ij. m. ac reverbera  $\delta$  viij. Ablue à falsedine, & extrahe Tincturam cœruleam ope Sp.  $\mathbb{O}$ li dulcis, decanta ac abstrahe.

he. *Ufus est maximè in morbis capitis, & in primis Epilepsia, hydropicam aquam ex-iccat. Dos. gr. 4, 5, 6, &c.*

## M.

*Magist. Antim. Diaphoret. f. ex ꝑ Diaphor. in ∇ cocto & filtrato, affundendo Alumen solutum, ꝑando ac abluendo f. a. Dos. ꝑß ad ꝑj, vires obtinet ceruss. ꝑ ij.*

*\* Magist. Benzoini, f. ex Benz. albis. in Pyrceno soluto, ꝑando ∇â Lactis, & ficcando f. a. Dos. ꝑß ad ꝑj. Pectorale est nobile.*

*Magist. Bismuthi. R. Marcasitæ datæ, p. j. Solve in Sp. Oī rectif. p. iij, ꝑa ∇â falsa, edulca & sicca f. a. Confert ad cutis vitia, Lichenes, Impetigines, Scabritiem manuum, & simil. cosmeticum est insigne.*

*\* Magist. Git. R. Gum Git. purif. ʒiij, Tinct. Ros. r. ʒiij, succ. limon. ʒiij, Sp. Oli ʒj, macera ac evapora ad consist. extracti: vel f. ʒ. Fieri etiam pt. ex Gum. Git. ʒij, ☉ Pri p. d. ʒj, Sp. V. ʒvj, digestis ac evaporatis f. a. Purgat ανω & κάτω, precipue humores serosos. Usus est proficui in Hydrope, Scabie, Pruritu, &c. Dos. gr. x ad ʒß.*

*\* Magist. Jovis, f. ex Fl. ʒial. in ∇ solut. & filtratis, ꝑando vel ☉o ☐ p. d. vel*

E

Alumine

Alumine soluto, edulcando sæpe  $\nabla$  tepidâ, & exiccando. *Dos.* gr. 4, 5, 6, &c.  
v. *Salis Jovis Vires.*

*Magist. Lithargyrites, v. Sal Litharg.*

*Magist. Lunæ, v. Vitriolum Lunæ.*

*Magist. Martis, v. Extraët. Chalybis.*

*Magist. Saturni.* coq.  $\text{h}$  rubr. in  $\otimes$ :  
filtra,  $\text{a}$   $\odot$   $\oplus$ li, & edulca s. a. *Ufus*  
*est in Phthisi, Hætica, Febris ardentibus,*  
*aliisq; inflammationibus internis. Item in*  
*Quartana, Lienis affectibus, Colica, & Lue*  
*ærea Secretum est.* *Dos.* gr. 4, 5, 6, &c.  
*Externè valet in Putredine oris, Ulceribus*  
*malignis, Cancerosis, Lupo, Fistula, Am-*  
*bustis, Pustulis faciei rubris, Rubedine ocu-*  
*lorum, &c.*

*Magist. Sulphuris. v. Lac Sulphuris.*

*Magist. Tartari.*  $\text{R}$   $\ominus$ is  $\text{q}$ ri q. v. Im-  
pregna  $\text{X}$  opt. donec  $\text{q}$  nil ampliùs aci-  
ditatis retinere velit, dein affund. Sp. V.  
cumque abstrahe, aliquoties cohobando:  
Tandem repone  $\text{q}$  ad liqueendum, &  
habebis Oleum rubrum, per inferiora pur-  
gans. *Utile est in omnibus morbis deplora-*  
*tis.* *Dos.*  $\text{ss}$  ad  $\text{ss}$ j.

*Magist. Turpethi.*  $\text{R}$   $\text{q}$  s. coq. in  
 $\nabla$  pulviali ad solutionem, filtra, & cum  
 $\odot$   $\text{q}$  p. d.  $\text{a}$ ; tandem edulcora  $\nabla$   $\text{atâ}$   
s. a. *Insigne est in Lue ærea, Tinea, Scro-*  
*phulis*



phulis, &c. *Dof.* ʒß ad gr. xv, cum *Conf. Hamech*, ʒij vel iij.

*Magnes Præp.* f. ex ʒre magn. candefacti in ☩bulo, & ☉i ʒtis ā, l. Δ. exhalando f. a. *Cum cera mixt. in Emplastr. dolores podagricos mirè mitigat.*

*Mars Diaphoreticus.* ʒa \* cum ā Chalybis limat. f. a. ʒatum solve in exigua quant. ☿ont. filtra, & ☿ā affundendo guttatim ☉ ☿ p. d. vel Sp. \*ci. ☿atum exicca f. a. *Sudores movet, & Diureticus est. Eximii usus in Melan. Hypochondriaca, Quartana, &c. Dof.* ʒß ad ʒj.

*Mars Fulminans.* R. ☉ ʒivß, ☉ ☿ ʒiß, ☿ ʒij, m. f. pul. f. a. *Diureticus, & menses movet, &c.*

*Mars Potabilis.* Solve Chalyb. ☿ri-fatum in ☿ont. filtra, & coagula f. a. *Optimè valet in Cachexia, Hydrope, Scorbuto, Chlorosi, Quartana, &c.*

*Mercurii Purgatio,* Diversimodè perficitur. Vel trajiciendo per alutam, vel lavando cum ☩ & ☉ mixtis; aut cum ∇ā ψ, sæpius agitando. Vel fortiter agitando cum Sp. V. in vitro obturato. Vel quando in ∴ per ☉m Δe forti; idque per se, vel addito ☉e ☿ri, ψ, &c. vel āāādo cum ☉ vel ∇, ac postea per ☉ à corpore admixto separando.

\* *Merc. præcipitat. Albus.* Solve ꝥ in ∇: ꝥa ∇â falsa, abluc, exicca. *Albus subdulcis.* Solve ꝥ in Sp. ①i, ꝥa cum Sp. V. sicca, & sæpe combure cum Sp. V. f. a. *Dosis eadem cum ꝥio dulci. Usus in Lue ꝥ, Hydrope, Podagra, Ictero, &c.*

*Merc. præcip. correctus.* R̄o ꝥ per ⊖ & ✕ purgat. ʒij, ∇ duplic. ʒviiij. Abstrahe ∇on. ex ∴, cohobando. Tum mriæ tritæ affunde ⊙ ⊙li ʒij. Digere, & ⊙m abstrahe super ꝥm affunde Sp. V. Digere ʔ iiij. decanta, aliumque Sp. V. affunde; idq; ʒtiâ vice repete: tandem sicca. *Dos. gr. 3 ad 10. Purgat per inferiora, in Lue ꝥrea curanda præstantissimum remedium.*

*Merc. præcip. fixus.* R̄o ꝥ purgat. ʒiiij, ✕ ʒiʒ, Fl. ♀ ʒij, m. & ꝥa: ꝥatum cum fæcibus tritum ꝥa iterum: dein auge Δem ut candescat. id quod in fundo remanet fixum *Panacea* vocatur. *Omnes humores noxios exiccat, perq; diaphoresin expellit. Dos. ʒʒ ad ʒʒ.*

*Merc. præc. Flavus.* (i. e.) *Turpeth. miner.* *Dos. à gr. 5 ad 10. Easdem habet vires quas Arcan. Corallinum.*

*Merc. præc. griseus.* *Turpeth. mineral.* in ∇ros. lotum & ficcatum imbibe cum Pyroeno, & (addit. camph. in Pyroeno solut. ā,) l. Δ. Pyroenum abstrahe

he f. a. *Dof. à gr. iij ad viij, &c. Pur-*  
*gat per inferiora.*

*Merc. præc. Incarnatus.* ☿  $\overline{3j}$  in  $\nabla$   
 $\overline{3ij}$ , solutæ adde  $\nabla$  fervidæ  $\overline{3iij}$ , ☿ a  $\square$  â  
rec. ablue ac sicca f. a. *Solum per secessum*  
*movet. Virtutes obtinet Arcani Corallini.*  
*Dof. gr. vj ad xij.*

*Merc. præc. Laxativus,* f. ex ☿ cum  $\odot$   
 $\oplus$  li, vel  $\ominus$  in  $\therefore$  æ B. crySTALLISATO, & in  
 $\times$  bulo indito ut per horam candefiat ope  
 $\Delta$  is: dein in  $\nabla$  am calidam projecto, ut f.  
☿ flavus.  $\Delta$  am decanta, lava, exicca,  
& Spt. V. supra eum incende f. a. *Pur-*  
*gat àνω η κατω. Dof. gr. 3 ad 10. Mirè*  
*proficius in Lue q̄rea extirpanda, Podagra,*  
*Ictero, Hydrope, Scabie, &c.*

*Merc. præc. per se.* ☿ pone in vitrum  
infernalem, exactè in  $\therefore$  colloca, & gra-  
datim auge  $\Delta$  m, donec ☿ in  $\overline{x}$  rem rubi-  
cundis. conversus sit. Ablue Spt. V. *Opus*  
*est multorum dierum. Sudores valde movet.*  
*Luem q̄ream sexies vel septies exhibitus pe-*  
*nitùs eradicat. Febres omnes tollit. Lum-*  
*bricos eliminat. ut plurimùm vomitum quoq;*  
*movet sat violentum. Dof. gr. 3 ad 6,*  
*præstantior erit præcipitatus, si fiat cum*  
*parte octavâ  $\odot$  is v. infra.*

*Merc. præc. Ruber.* Solve ☿ p. i. in  $\nabla$   
p. ij. Abstrahe  $\nabla$  à ☿ io per  $\overline{q}$  rationem  
cum tribus cohobiis, donec in  $\overline{x}$  rem ru-  
brum evadat. *Vires imitatur præcedentis.*

*Merc. præc. Solaris per se. f. ex Amalgama facto ex ☿ & ☿iv, cum ☉ per ☿ fusi ☿β, in vitro infernali posito ut supra, mriam sæpe eximendo, & conterendo, f. a.*

*Merc. præc. Viridis. R. ☿ & ☿iv, ♀ ☿β, Solve separatim in ∇, & misc. postea, abstrahere ∇on. digere ☿atum cum ✕, filtra ac sicca f. a. Specificum est in Gonorrhœa virulenta, quam nimiam tollit, insufficientem promovet: ideoq; quotidie continuandus ejus est usus, donec omnis fluxus sedatus sit. Dos. gr. ij, iij, ad viij.*

*Merc. sublimat. Ruber & Flavus. R. ☿, ☉, ☉ calcin. ana ☿vj, exactè mista ☿a: cum ☿ato misce ☉ & Alumen parùm calcin. ana ☿iij, Impasta ☿to, & ☿a. iterum. Rubrum à flavo separatim seorsim ∇â abluere, & Spt. V. supra utrumque incendere f. a. Purgat præcipuè per inferiora, magnumq; Secretum in Hydrope, Lue ♀, Podagra, Scabie, Ulceribus, Cancro, &c. Dos. gr. 5, 6, 7, &c.*

*Merc. Vitæ correctus. ☿m vitæ in phiala ∆e ☿æ fove, donec rubere inceperit: postmodum Sp. V. sæpius ab eo abstrahere f. a. Purgat sat benè per alvum, Impuritatesq; quascunq; educit. Dos. gr. 4, 5, 6.*

*Merc. Vitæ purgans. Si ☿m vitæ cum ☉ aliquoties teras, & salsedinem postea per*

per  $\nabla$ am abluas, vim solam purgandi per sedem obtinebit. *Dof. à gr. vj ad xij.*

\* *Mixtura Simplex.*  $\mathcal{R}$ o Sp. Theriacal. camphorat.  $\mathfrak{z}$ x. Sp. Oli  $\mathfrak{z}$ ij. Sp.  $\square$ ri rectific.  $\mathfrak{z}$ vj. Digere in phiala hermeticè obfignata ad 3 septiman. ut uniantur exactif. f. a. *Ciet sudorem, resistit putredini: in Febris malignis admodum proficua.* *Dof.  $\mathfrak{z}$ j, plus minus.*

N.

*Nitrum Antimoniatum.*  $\mathcal{R}$ o  $\oplus$  in  $\times$ bullo liquati, p. iij, paulatim injice Vitri  $\delta$  per se facti, p. i. Hisce unitis, effusis,  $\delta$ atisque, elue  $\oplus$ m  $\nabla$ â: filtra ac crystallisa f. a. *Dof. gr. 5, 6, 7, &c. in Febris malignis, Hydrope, Lue Venerea, &c.*

*Nitrum Cachecticum.*  $\mathcal{R}$ o Oli  $\mathfrak{z}$ tis p. 4. Arcan. duplic. p. 5.  $\oplus$  p. 7. m. ac in  $\therefore$  ad rubed. calcina. f. a. *Summe confert in Appetitu prostrato, Cachexia, Febris, Scorbuto, Nephritide, Catarrhis, Lue  $\mathfrak{z}$ rea, Contractura, Paralyfi, &c. Somnum inducit. Sudorem movet; aliis leniter alvum ciet.* *Dof. gr. vj ad xx.*

*Nitrum Catharticum.* Candefac  $\oplus$  in  $\times$ bullo, & per vices carbonem vivum injice, ut  $\oplus$  inardescat: continua, donec flagrare desinat: quod restat solve in  $\times$ : filtra, coagula, idque ter cum novo  $\times$  repete.

pete. Tandem solve in Sp. V. & evapora ad siccitatem. *Dicitur & Terra foliata Nitri. Obstructum Mesenterium & lienem liberat, suaviterq; purgat. Dos. ʒj ad ʒß.*

*Nitrum Corallatum.* R̄o ʘ p. iij, ʘis corall. p. i. solve separatim in Ros. ac filtra: dein misceantur & coagulentur f. a. *Utile in Febribus & virium restauratione. Dos. ad ʒj.*

*Nitrum Fixatum.* Solve ʘem Pruellæ in Font. filtra ac coagula f. a. v. *Cryst. mineral.*

\* *Nitrum Hermaphroditicum.* R̄o ʘ, & ʘis ʘri purif. ā. solve in Rosar. rub. filtra & crySTALLISA f. a. *Præstantissimum ad humores crassos & tartareos incidendos & detergendos; nec-non meatus obstructos aperiendos: ad calculum renum expellendum, urinamq; movendam, &c. Insuper, in Febribus putridis ac malignis optimè conducit. Dos. gr. 20 ad 30.*

*Nitrum Joviatum. v. Jupiter Nitratus.*

*Nitrum Nitratum.* R̄o Sp. ʘ rectif. p. iv. ʘ purificat. p. vj. m. ac ʘa ad siccit. cum terno cohobio, urgendo Δem postea f. a. *Dos. ʒß.*

*Nitrum Perlatum,* fit ut *Corallatum*, ex ʘe *Perlar.* & ʘo. *Egregium est Cordiale, & mittigat æstum febrilem. Dos. ad ʒj.*

*Nitrum*



*Nitrum Saturnisatum.* R̄. ☉is h̄ni, ☉,  
ā solve in ✕, & crySTALLISA s. a. *Prodest*  
*Asthmaticis.* Dof. gr. 5, 6, 7.

*Nitrum Sulphuratum.* R̄. Sp. ♀ ʒiv,  
☉ purific. ʒiv, m. ac ʒa ad siccit. ter co-  
hobando, & urgendo Δem postea ad va-  
sis excandescientiam. *Vires habet Salis*  
*Prunellæ.*

*Nitrum Vitriolatum.* v. *Arcan. Duplex.*  
Vel parari pt. ex ☉ p. ij, ☉ ☉li p. i. ʒa-  
tis, ut in ☉o ♀rato.

## O.

*Oleum Aloëticum.* R̄. Aloëpat. ʒbj, myrrh.  
ʒij, thuris ʒβ, m. ac ʒa in ∴ l. Δ. *Il-*  
*litum umbilico purgat, & vermes necat.*

*Ol. Antim. Saccharatum,* f. ex ʒre  
ʒii. crud. & sacch. ā. ex ☉ Δe fortis. ʒatis  
s. a. *Utile est tum ad externos, tum inter-*  
*nos morbos.* Dof. à gut. iij ad vj in *Quar-*  
*tanis ante p̄roxyfimum.*

*Ol. Balsami.* v. *Balsam. Paralyticum.*

\* *Ol. Chartæ.* Accende Chartam ac  
imponere laminæ ʒis, ut comburatur. Sic  
adhærescet ʒi oleum colligendum. *In*  
*Alopecia, Herpete, Impetigine, &c. mira*  
*præstat.* *Anodynum est, & Odontalgiam*  
*sedat.*

*Ol. Heracleinum,* fit ex ligno Coryli  
Septemb. aut Martio collecto, in taleolas  
fecto,

fecto, & gradatim per  $\oslash$  in  $\therefore$   $\varphi$ ato,  $\odot m$ , ab  $\nabla \hat{a}$  separetur f. a. *Calfacit, incidit. Anodynum, Epilepticum, ac præcipue Odontalgicum est. Guttæ 2, 3, 4, &c. assumptæ cum mica panis lumbricos in instanti necant, & per secessum educunt.*

\* *Ol. Linteorum*, f. ex Linteis accensis & suffocatis in laminam  $\mathcal{L}$ is f. a. *Optimè valet ad Ophthalmiam curandam cum gutta una salivæ mixtum.*

*Ol. Ludi*. Materiam  $\square$ ream matulæ inhærescentem calcina, & solve p. d. f. a. *Ad tartarum in omnibus corporis partibus, imò ad calculos etiam grandiores resolvendos, & expellendos, adeoq; ad obstructions inde ortas referandas mirificè conducit.*

*Ol. Lumbricorum*,  $\varphi$ atur in  $\therefore$  ex Lumbric. terr. V. Hispan. lotis f. a. *Ad Paralyfin curandam mira præstat.*

*Ol. Martis*, fit ex Rubigine  $\mathcal{J}$ tis per  $\nabla$ am Stygiam irrigatam contractâ, ablundo  $\nabla \hat{a}$ , filtrando, & exhalando ad oleaginositatem f. a. *Summum est deobstructivum. Dos. gr. 4, 5, &c.*

*Ol. Polypodii*, f. ex Radic. siccis per  $\oslash$  ex  $\therefore$   $\varphi$ atis f. a. *Inservit piscibus capiendis.*

*Ol. Saponis*, fit ex Sapon. Venet. raspat. & Sp. V.  $\hat{a}$ . per  $\oslash$   $\varphi$ atis, primò l.  $\Delta$ . dein fortiori gradatim urgendo.  $\odot m$   
inna-

innatans  $\nabla$ æ viridi separetur. *Ad Convulsiones, Cephalalgiam, &c. illinantur cum isto Tempora, nucha, & nares. Ad Tineas, Contusiones, Podagram, &c. Ungantur loci affecti, tegendo postea brassicæ folio.*

*Ol. Saturni. v. Bals. Saturninum.*

*Ol. Silicum. v. Liquamen Silicum.*

*Ol. Tabaci, f. ex Fol. ficcis per ☉. Vel, ex sem. contusis & expressis. Usus in doloribus Podagræ, Arthritidis vagæ, Odontalgia, vermibus, &c.*

*Ol. Talchi p. Deliq. R. x Talchi, ☐ per ☉ calcinat. ā f S S. S. ac cementa in ☒bulo clauso g vj, ut ☒bulum candeat. exime & edulca; extrahe cum ✕, filtra ac coagula: edulcora ac repone postea in cella ad liquefcendum. Cosmeticum censetur præstantissimum. Lentigines, maculæque faciei aufert.*

*Ol. Tartari purg. v. Mag. Tartari.*

*Ol. Viridis æris. R. ⊕ z̄ij, ⊕ z̄iij, ponantur in catillo, & incend. carbone, donec deflagrârint. Tum solve p. deliq. in cella. Causticum est. Ad Pustulas &reas, & verrucas absumendas conducit.*

*Ol. Vitrioli Dulce. R. Ol. ☉li rectif. p. i. Alcoh. V. ℥iv. Digere o 30 vel 40: & postea ex ☉ cum 3 vel 4 coho-  
biis aqua ad uniendum s. a. Proficuum in calculo,*

*calculo, morbis tartareis, Catarrhis, &c.*  
*Dof.* ℥ij in liquore idoneo.

*Oxyfaccharum Emeticum.* ℞ Vitri ℥ii  
 ℥at. ℥ij, ✕ opt. ℥bj, macer in MB (sæpe  
 agitando) ad 8 24. colat. filtratæ adde  
 sacch. opt. ℥viiij, coq. ad Syr. consist.  
*Dof.* ad ℥ij, vel ultra.

P.

*Panacea Aurea.* ℞ Croc. metall. &  
 Calomelan. ā m. f. ℥. Valet optimè in  
 Lue ♀. *Ptyalismum movet, purgatq; ἀνο-*  
*η κατω.*

*Panacea Cathartica.* ℥ ℥ii vitæ (ex ℥  
 p. ii, & p. i, facti) ℥iv, ℥ii vivi in Quati-  
 one Butyri & provenientis ℥iiij, m. & aqua,  
 ut in §io dulci. *Dof.* gr. 5 ad 8, &c. *Ef-*  
*ficacior habetur quàm §ius dulcis in Lue*  
*♀rea, &c.*

*Panacea Hartmanni.* ℞ ♀ris ℥ii com-  
 bustibilis ℥i, ☉ ☉li vel ☿ rectif. ℥iiij, Re-  
 gul. ℥ii ℥j. Digere calide ad 8 10: dein  
 aqua per O vitream ex ∴, ter ad minimum  
 cohobando. Δm urge sub finem, & mri-  
 am in fundo per 8 5 reverbera. Tandem  
 exime, lava cum Ros. & ficca. ℞ Hu-  
 jus ♀ris ℥j, ☉ coral. ℥ij. m. exactè s. a.  
*Remedii est instar universalis: habet mi-*  
*ram in se vin diaphoreticam ac sanguinem*  
*mundificandi, ideòq; quibuscumq; morbis per*  
*sudorem sanabilibus inservire potest, præci-*  
*pue*

puè Lui &reæ, cutisq; sceditatibus. Dos. à gr. x ad xx.

*Panacea Holsatica.* v. *Arcan. Duplex.*

*Panacea Schroderi.* v. *Merc. præcip. fixus.*

*Phosphorus*, fit ex residuo post &ratio-  
nem Sp. ☐æ, cum \*ci tantillo, &ando  
per gradus ex ☉ vitrea in recipiens ∇â se-  
miplenum. *Diureticus ac diaphoreticus.*  
*Dos. ad ʒß.*

*Plumbum album*, & Cerussa, f. Lamel-  
las hñi suspendendo supra ✕, ut vapores  
ab ✕o elevati circumeant. Sic adhæ-  
rescet paulatim Cerussa.

*Pulv. Sympatheticus*, fit calcinando ☉  
Roman. radiis ☉aribus per Vitrum caute-  
rizans, & dādo. v. *Vires Ung. Sympathet.*

## R.

*Regulis Jovialis*, f. ex Regul. ☿ fusi  
ʒiv, adjiciendo limat. ʒ eandem quant.  
f. a. *Omnes obstructiones reserat. In ute-  
ro strangulato nobile remedium.*

*Regulus Lunaris*, f. addendo Reg. ☿  
fusi ʒviii. Dæ ʒj, f. a. *Epilepticus, & Ce-  
rebralis.*

*Regulus Martis*, ex Chalybis limat. ʒij,  
☉, ☐, ☿, ā ʒivß, detonando f. a. *Curat  
Luem. Ven. sine ptyalism.*

*Regulus Solaris*, ex Reg. ☿ fusi ʒiv, ☉  
ʒß, f. a. *Hystericus & deoppilativus.*

F

Regulus

*Regulus Veneris*, ex ♀, ☿, ☽, ā ʒiv; ♂ ʒviiij, detonatis f. a. *Aperit obstructions in Rachitide.*

*Ros Vitrioli*, elicitur ex ☉ albo crudo, calore MB ferventis f. a. *Valet ad arduos capitis dolores, sanguinem adustum mitigat, & viscera corroborat.* Dos. ʒij, &c. *continuatim ad aliquot dies.*

*Sal Abſorpti Cryſtallinum.* Fit ſolven-  
do ☉ Abſorpti in ∇, filtrando, cryſtalliſando,  
ſiccandoque, JAN 23 1704

*Sal Aceti eſſentiale.* Coq. Cap. mort. ♂ti in ∇: filtra ac cryſtalliſa f. a. *Sudorificum eſt, & putredini reſiſtit.* Dos. gr. ʒ ad 10, in vehiculo aliquo idoneo.

*Sal Aceti fixum.* Calcina Cap. mort. ♂ti, ſolve ∇â, filtra & coagula f. a. *Idem facit ut ſupra.*

*Sal Alkali.* R. ψ ʒij, Eris iſatid. ʒß, ☿, ☽, ā ʒj, coq. in ∇, filtra & coagula ad ſiccit.

*Sal Aluminis.* Coq. Alumen uſtum in ∇, filtra & coagula f. a. *Sudorificum, & Febrifugum.* Dos. gr. ʒ ad 10.

*Sal Armoniacum fixatum.* Miſce \* cum ψ dimid. quant. & Δe fortif. ſubito adhibito, additoque ſolle funde, ac poſtea ∇â elue f. a. *Inſervit præcipuè liquori inde conſciendo. Sudorificum eſt, & putredini reſiſtit*



*resistit, aperit obstructiones. Dos. gr. 5 ad 10, &c.*

*Sal Armon. Volatile, f. ex ✱, & ☉*  
*☿ri ā, ☿atis f. a. pt. & ☿ari (jubente me-*  
*dico) cum 3tia parte Castor. vel Succini.*  
*Tollit ventriculi cruditates. Dos. gr. 3 ad*  
*10. Specificum est in Arthritide & Sudo-*  
*rificum.*

*Sal Arm. Volat. Oleosum. R̄ Caryoph.*  
*℥ij, Sp. V. ℥viij, Sp. ✱ci ℥iv. Digere*  
*simul ad uniendum f. a. Dos. gr. 10 ad*  
*15, &c. in morbis capitis, ventriculi, lienis,*  
*uteri, &c. in Colica & Tremore cordis Præ-*  
*stantif. Remed.*

*Sal Chalybis. R̄ Croc. Itis per ☿*  
*fact. q. v. extrahe ☉ cum ☿, filtra & cry-*  
*stallisa f. a. Vim habet incidendi, ac ape-*  
*riendi obstructiones, tum viscerum, tum ute-*  
*ri. Dos. à gr. 1. ad 5, & ultra.*

*Sal Coralliorum. Elicitur ex ☿ribus*  
*more com. Vel, solve corallia in ✱, fil-*  
*tra ac exhala f. a. Sic fieri pt. Sal Ocul.*  
*cancror. Margaritar. &c. Dos. ☿ss ad ☿j, &c.*

*Sal C. C. Succinatum, f. ☿ando c. c.*  
*cum dimid. quant. succini f. a. Dos. gr.*  
*10 ad ☿j, &c.*

*\* Sal Decrepitatum, fit calcinando (☿bu-*  
*lo tecto) donec non amplius crepet ☉.*

*Sal Diureticum. Solve Cap. mort. ✱ci*  
*volatilis in ☿ calidâ; filtra & coagula f. a.*

*Proficuum in Febris intermittentibus. Dos.*  
 ℞ ad ℥℥. *In Ictero, Scorbuto, Hydrope,*  
*℥ omnibus obstructionibus valde conducit.*

*Sal Duplex. v. Arcan. Duplex.*

\* *Sal Febrifugum.* Elicitur ex testis ostreor. opt. mundatis, & ad summum albed. calcinatis solvendo in ∇, filtrando ac coagulando s. a. *Dos. ad ℥j ante parox.*

*Sal Jovis, f. Solvendo Magist. 4is per digest. in ✕, filtrando & coagulando. Præsentaneum remedium in uteri suffocationibus quas ad miraculum compescit, tam intrinsecus, quàm extrinsecus adhibitum. Dos. gr.*

*2, 3, 4, &c. repetitis vicibus.*

*Sal Lithargyrites.* Elicitur cum ✕ non secus ac sacch. tñi. Decantetur solutio, filtra & coagula s. a. Si solutio t̄etur cum ol. ☐, vocatur *Magisterium.* *Internè datur in Diarrhæis, Dysenteriis, reliquisq; morbis resolutis. Intestina læsa ac ulcerata sanat & consolidat: sanguinem æstuantem refrigerat. Dos. ℥℥ cum Theriacâ aliqua sudorifica, sive anodyna.*

*Sal Martis. (i. e.) Sal Chalybis.*

*Sal Martis Catharticus.* Solve Cap. mort. Florum ✕ci Stiatorum in ∇a calida, filtra & coagula. *Dos. ad gr. 12. leniter purgat, & Diureticum est.*

*Sal Perlarum,* fit omninò ut coralliorum.

*Sal*

*Sal Philosophorum.* R<sup>o</sup> ⊖ decrepit. ʒæ; ā ʒiβ, galang. mac. cubeb. ā ʒβ, m. f. ʒ. f. a. *Concoctionem juvat ventriculi, cruditatesq; consumit.* Dos. gr. 4 ad 12. manè, jejuno ventriculo.

*Sal Polychrestum*, f. ex Fl. ♀ & ⊕ ā, exactè mixtis detonatisque, solvendo ∇â, filtrando ac coagulando f. a. *Humores purgat serofos per sedem, & nonnunquam per urinas.* Dos. ʒj ad ʒiij, in ∇ont. ʒbij solut. ut fiat instar Acidularum.

*Sal Saturni* (i. e.) Sacch. Saturni.

*Sal Spongiæ Volatile*, f. quando per ⊕, & ⊖ rectificando f. a. ex Cap. mort. in ∇ calidâ soluto elixiviat *Sal fixum.* Utile ad calculos renum vesicæq; frangendos. Valet etiam ad strumas discutiendas. Dos. gr. 5 ad 12, vel ultra.

*Sal Sulphuris.* Solve Cap. mort. Spts. ♀ris ∇â filtra & coagula f. a. *Efficax. remed. adversus verminationem.* Dos. ā gr. 5 ad 10.

*Sal Tartari*, fit ex ♀ro calcinato non secus ac ex aliis Mercuriis sal extrahi solet. pt. & elixiviarum ex Cap. mort. post Quotionem Spts ♀ri relicto, si ulterius comburatur. Vel, fieri pt. ex ♀ crud. & ⊕ ā ʒat. & calcinatis in Trubulo f. a. *Optimum est remed. in Ulceribus, Serpiginibus, Tinea,*

*Scabie, &c. tam internè, quam externè administratum.*

*Sal Tartari Volatilis.* R̄o  $\Theta$ is  $\square$ ri purific.  $\mathfrak{z}$ iv, Alcoh. V.  $\mathfrak{z}$ viiij,  $\varphi$ a ex  $\therefore$ , ter cohobando; & adhærescet  $\Theta$  lateribus  $\mathfrak{X}$ bici. *Diureticum & Aperitivum insignissimum est. Sanguinem purificat, & malignitati resistit. Dos. gr. 10 ad 20, & ultra.*

*Sal Viper. Volatilis, f. ex viper. siccis per  $\oslash$ , ut cornu cervi, ex Cap. mort. elicitur more com. Sal fixum. Medicamentum summè penetrans, putredinem arcens, obstructions referat, febres omnes resolvit. In melancholia, podagra, renum calculo & vesicæ, mira præstat. Dos. gr. 6 ad  $\mathfrak{D}$ ß.*

*Sal Veneris. (i. e.) Flor. Viridis ævis.*

*Sal Urinæ Volatilis, f. ex  $\square$  fermentatâ per  $\oslash$  patâ s. a. Fixum elicitur ex Cap. mort. more com. Insigne anodynum est in doloribus sedandis, mixtum cum liquore conveniente, & supra loca affricatum. Internè datum referat tartareas obstructions viscerum ac mesenterii, unde insignis ejus usus esse poterit in Scorbuto, Cachexia, Ictericia flava ac nigra, &c. atterit calculum renum ac visicæ, doloresq; indè ortos sopit. Dos. gr. 15 ad 30.*

*Sapo*

*Sapo Tartareus.* R<sup>o</sup> ☉is ☐ri (ex ☐ & ☉ ā, fact. f. a.) ℥iv, ☉ Tereb. ℥viii, stent. simul (vase amplo) in loco frig. & humido ad menses aliqt. tamdiu scilicet (sæpe interim quotidie agitando, & plus ☉i, quoties opus fuerit, adjiciendo) usquedum ☉ planè triplum ☉i absorbuerit: atque in unam massam (Saponis instar) spissam conspiraverint homogeneam, nullatenus separandam. *Pro parandis Pil. pacificis & Pil. Matthæi.*

*Scammon. Aurantiatum. v. Extr. Drastic.*

\* *Scammon. Cydoniatum.* R<sup>o</sup> ℥ Scam. ℥ij, succ. depurat. cydon. ℔j. Digere 8 24. Adde ∇ vitæ q. f. Digere iterum, & evapora ad extracti formam f. a. *Dos.* ℔j ad gr. 25, &c.

\* *Scammon. Rosatum.* R<sup>o</sup> Succ. Ros. Dam. depurat. ℔ij Sp. ☐ ℥iij. ☐ris Scam. ℥iij. Digere ac evapora ad Pil. consist. Adde ☉ st. Majoran. ℔j. *Dos. eadem cum priori.*

\* *Sedativum Archæi.* Tinctura ex Flor. \*ci ꝑtiatis eliciatur cum Sp. V. quæ abstrahatur ad consist. debitam f. a. v. *Vires Flor. \*ci Martiatorum.*

*Silices præpti.* R<sup>o</sup> Silices albicantes & pellucid. ex fluviis collect. igniantur in ☒bulo, & exting. in ∇ont. (quâ \* solut fuerit) donec in ☐rem fieri potuerunt f.

f. ̄ exquisitus supra marmor, & in Troch. cogatur cum ☐ probè exiccandos f. a. *Diuretici sunt. Usus in hydrope, calculo, urina suppressa, &c. Dos. gr. 10 ad 20, &c.*

\* *Spiritus Alkermes.* R. Sp. Cinnam. Citri, Ceras. n. Anthūs, ā ʒiv, succ. chermesin. ʒij, m. peroptimè, dein agantur per chart. emporet. Adde tum sacch. opt. ʒij, Fol. Auri n° x. m. f. a. *Sunt, qui addunt Sp. Ambraē ʒij pro ditioribus. Vapores tetros discutit. Spiritus naturales vitales, animales recreat, parturientibus subvenit, &c.*

*Spir. Aluminis.* ʒatur ex Alumin. usto per ☉ omninò ut ☉ li. *Dos. gut. 4, 5, 6, &c.*

\* *Spir. Alum Dulcis.* f. Sptum. Alumin. aliquoties rectificando cum Sp. V. ut dulcis evadat. *Diureticum est, calculum pellit, obstructiones aperit, æstus in febribus compefcit. Dos. gut. 4, 5, &c. pro vice.*

\* *Spir. Ambraē.* R. Ambraē gris. ʒß, mosch. gr. xv. sacch. cand. ʒj, m. f. ̄: cui affunde ʒris cœlest. ʒiv. Digere (vase hermeticè obturato) in fimo equino ad 6 20 aut 30. Dein filtra ad usum. *Dos. gt. vi in animi deliquio, &c.*

\* *Spir. Benzoini.* R. Partium albar. Benz. opt. ʒij, Pyroceni ʒxvj, manean simul in frig.



frig. sæpe agitando ad solutionem Benz. filtra ac serva. · Si  $\nabla$ â lactis  $\varpi$ es, & sicces, erit. *Magister. Benzoini.* Dof. *Spiritus*, à 3j ad 3iij. *Magisterii* à gr. 10 ad 20, vires obtinet *Benzoini*.

\* *Spir. Camphoræ*, fit solvendo Camph. 3j, in Pyrœn. 3viiij, f. a. Dof. 3ß ante parox. *Tertianæ*. *Diaphoreticum insigne* in febribus malignis. *Anodynum est egregium*, odontalgiam sedat, &c.

\* *Spir. Cerasorum*, f. ex Cerasis nig. cum nucleis opt. contus. & fermentatis f. a. Quando per XX, & rectificando in MB. *Cephalicus*, & diuretius, hystericis & epilepticis prodest, flatibus & convulsionibus subvenit. Dof. 3ij ad 3j, &c.

\* *Spir. Cochleariæ*, f. ex Cochlear. hort. flores. fermentatâ, vel non ferm. Quando per XX cum suo refrigeratorio. Quod primò prodit serva per se pro Sptu. *Fieri etiam pt. ad hunc modum.* R. Sp. V. legitimè probat. ʒxxxiv, cochlear. hort. rec. & floresc. qu. infarciri pt. Infunde per 8 12, ac ʒa ad medietatem. In hoc Sptu. ʒato macera de novo cochlear. rec. ut supra, iterumque ʒa ad medias. Ex hoc Sptu. & Resin. Scammon. vel zialap. (extrahendo Tincturam ac filtrando) parari pt. *Sp. Cochlear. purgans. Spleneticus ac Diaphoreticus*, fixos ac crudos humores, volatiles

les reddit, putrediniq; resistit. Hinc proficius in hypochondriacis & tartareis morbis, ac præcipue scorbuto. Dof. gut. 20, 30, vel ultra in liquore idoneo

*Spir. Coralliorum*, fit  $\ominus$ em Coral. opt. purificat. Quando  $\therefore$ , & rectificando. *Scorbuticus est & Lithontripticus*. Dof. gt. 5 ad 20, &c.

\* *Spir. Corn. Cærv. succinatus*.  $\varphi$ atur ex c. c. cum dimid. quant. Succini. Dof. gut. 5 ad 15, &c. *Sudorificus est, Diureticus, Hystericus, Epilepticus, &c.*

*Spir. Diatriwn. v. Mixtura Simplex.*

*Spir. Dracunculi*.  $\Re$  Sp. Vini cong. j. Fol. dracunculi recent. quant. infarciri pt. Digere per  $\delta$  iij, &  $\varphi$ a f. a. Aquæ  $\varphi$ latae adde facc. opt. q. f. Dof.  $\zeta$ iv pro vice; miranda præstat in ignotis affectibus, sudorem provocando.

\* *Spir. Embryon*.  $\Re$  Capones n° 3, exemptâ pinguedine contunde & incide: adde dactyl.  $\mathfrak{h}$ j, uv. passar.  $\mathfrak{h}$ iß, melif. miv. angelic. majoran. chærefol.  $\tilde{a}$  miiij, sem. ocimi  $\zeta$ ß, fœnic. angel. cort. limon.  $\tilde{a}$   $\zeta$ iiij, cort. citri, rad. pæon. borag.  $\tilde{a}$   $\zeta$ iv, angel.  $\zeta$ iß, croc.  $\zeta$ v, Conf. flo. Borrag. caryoph. majoran.  $\tilde{a}$   $\zeta$ iv. V. Hispan.  $\mathfrak{h}$ xxxij.  $\varphi$ a ad ficcitatem. Cum hâc  $\nabla$ â, & Sp. Hormin.  $\mathfrak{h}$ j,  $\nabla$ æ Ceraf. n. Melif.  $\tilde{a}$   $\mathfrak{h}$ iiij, Borrag.  $\mathfrak{h}$ iv, & amygd. decort.  $\mathfrak{h}$ iß f. Emulsio:

Emulſio: cui adde conf. flo. pæon. ℥vj, borrag. & caryoph. ā ℥iv, Florum violar. paralyſ. tunicæ, roſ. r. anth. calend. ā miv, Xyloal ℥iij, Sant. citr. ℥iiß, Cinnam. ℥viiij, Aromat. Roſat. ℥j. ʒa ſ. a. *Fœminis datur quæ ſæpius Abortum paſſæ ſunt magno emolumento, itemq; gravidis ubi à ſubito terrore, aut aliqua occaſione extrinſeca languescant, lipothymias & animi deſectiones, ventriſq; inflationes in his perſanant: infirmum fœtum roborat, uteri ligamenta firmat, Epilepſiam arcet, ſanguificationi proficit, &c. Doſ. coch. 2, 3, &c. pro re natâ.*

*Spir. Hormini comp. v. Aq. Horm. comp.*

\* *Spir. Hyſſopi Verus.* R. Hyſſop. rec. floreſc. q. v. contunde opt. & in vaſe quern. include, addendo ¶ont. tepidiuſculæ q. ſ. relinque ſic ad fermentandum (Flor. cereviſiæ tantillo addito) ð 10, vel 12. Deinde adde plus ∇æ, ac ʒa per XX. Poſtea rectifica ſæpe in MB ſ. a. Eodem modo ʒari pt. *Sp. Herb. aliar. Flor. &c. Pectoralis eſt inſigniter.*

\* *Spir. Juniperi Verus.* ʒatur ex Baccis fermentat. ut ſuprà. *Carminativus, diureticus, & ſtomachicus inſignis eſt, flatibus, renumq; arenulis pellendis, menſibus movendis, & ſterilitati auferendæ egregiè proficiuus.*

*Spir.*

*Spir. Mannæ.* Si Mannam  $\varphi$ es l.  $\Delta$ . ex cucurbita, habebis Sptum insipidum sudorificum. *Sudorificum insigne habetur in febribus tum pestilentibus, tum communibus sudorem, propellens admodum foetidum.* Dof. ad coch. j.

*Spir. Millepedum.*  $\varphi$ atur omninò ut c. c. servando  $\Theta$ em. *Urinam potenter ciet. Omnes obstructiones reserat. confert oculorum morbis, nec non Rachitidi. Specificus in surditate auribus inditus.*

\* *Spir. Nitri.*  $\mathcal{R}$ o  $\therefore x$  p. ij,  $\bigcirc$  p. i. m. ac  $\varphi$ a per  $\bigcirc$ , donec cessant fumi apparere. *Diureticum præstantius vix invenies. Sudorem insuper movet, unde usus ejus insignis in Colica, Pleurisi, Febribus omnibus, præcipuè malignis.* Dof.  $\mathfrak{D}$ j ad  $\mathfrak{D}$ ij, &c.

*Spir. Nitri Bezoarticus.*  $\varphi$ atur ex Sp.  $\bigcirc$  rectif. & Butyr.  $\mathfrak{d}$ ii  $\bar{a}$  ex  $\bigcirc$  f. a. Infervire pt. Cap. mort. Bezoartico Minerali parando.

\* *Spir. Nitri dulcis.*  $\mathcal{R}$ o Sp.  $\bigcirc$  rectif. p. i. Alcoh. V. p. ij. Digere ad unionem, ac  $\varphi$ a in  $\therefore$  bis cohobando f. a. Dof. ad  $\mathfrak{z}$ j in liquor. conven. *Sudorem ciet, tollit obstructiones colicæ, renum, pectoris, &c.*

*Spir. Reginae Hungariæ.* v. *Aq. Hungarica.*

\* *Spir. Rhæados crapularius.*  $\mathcal{R}$ o Flo. papav. rhœad. rec.  $\mathfrak{h}$ j, sem. carui  $\mathfrak{z}$ ij, nuc. m,

m. ℥j, Ambr. gris. gr. 4. Sp. V. ℥iv, macer. f. a. f. colat. *Dof.* ℥iv hora somni, vel manè post crapulam. *Specificè* Pleuritidè subvenit.

*Spir. Salis Armoniaci.* R<sub>o</sub> \* p. i. ψ p. ij, ∇ p. iij. ♁a in ∴ f. a. *Diureticus, diaphoreticus, incisivus. Resistit putredini, optimè valet in Febribus. Dof.* à gut. vj ad xij, ℞c.

*Spir. Sal. Arm. Tartarizatus.* R<sub>o</sub> Θis ☐ri, \*, ā, cum triplo ∇æ ♁a f. a. *Vires obtinet omnes cum priori.*

*Sp. Sal. Arm. Succinatus,* f. rectificando Sp. \*ci supra ħrem succini f. a.

*Sp. Sal. Arm. Chalybeatus,* f. ex Cap. mort. Florum \*ci Chalybis limat. Δi exposito, ♁ando per ∅ f. a. *Dof.* gut. 5 ad 15, ℞c. omnes obstructions tollit, menses & urinam provocat. *Sudorificus etiam censetur.*

\* *Spir. Salis coagulatus.* Misce Θis Absinth. depuratif. ℥j, cum Sp. Θ rectif. ℥iſſ, & coagula f. a. *Diureticum est Medicamentum & specificum hydropicum, omnes aquosas humiditates & flatus, omnemq; tartaream & viscosam materiam, unde calculus procreatur, per urinam potenter expellens. In Iliaca, Colica, Febribus, Ictericis, Dysenteria, Apoplexia, Podagra, &c. Præ-*  
G
*sentaneum*

*sentaneum est auxilium. Dos. gut. vj ad xv, &c. v. Mynsicht.*

*Sp. Salis Martialis.* Quatur per  $\oslash$  ex  $\delta$  p. i, Chalybis limat. p. ij, f. a. *Dos. gt. 5 ad 15. Diureticus & valde aperitivus.*

*Spir. Sambuci.* Quatur è Baccis ferment. uti *Hyssopi, &c. Alexipharmacus, Cardiacus, Sudorificus, & Uterinus. Dos. coch. 1, 2, &c.*

*Spir. Sanguinis.* Quatur Sang. juvenis sani putrefactum in  $\therefore$  & rectificata f. a. *Maximè commendatur ad Epilepsiam radicitus tollendam. ad paralyfin, apoplexiam, pulmonem ulceratum, &c. Dos. à gut. 10 ad 20, & ultra per mensem integrum.*

*Spir. Saturni.* Quatur per  $\oslash$  è sacch. hni opt. purificato, rectificando f. a. *Sudorificus est, in Peste, Melancholia Hypoch. Febribus ardentibus, Lue xrea, & simil. Dos. gut. 2, 3.*

*Spir. Spongiarum.* Quatur è Spongiis per  $\oslash$ , & rectificata f. a. *Litbontripticus est insignis.*

*Spir. Tabaccae.* Quatur ut *Succini*, ex Foliis ficcis. *Dos. 3j ad 3iij, &c. pro vomitorio.*

*Spir. Theriacalis camphoratus.* R. Theriac. Androm.  $\zeta$ v, myrrh. opt. 3x. croc. Anglic.  $\zeta$ ß, camph. 3ij, Alcoh. V.  $\zeta$ x. Digere,



Digere, ac ꝯa in MB ter cohobando f. a. Egregii usus in morbis malignis ciet sudorem, resistitq; veneno. Dos. ʒj ad ʒj, &c.

\* *Spir. Veneris.* ꝯatur per ☉ ex ☉lo ꝯris f. a. Summum est Arcanum ad Epilepsiam, corroborat ventriculum, cruditates emendat, uterum frigidum calfacit, ejusq; suffocationem sanat, menses movet, renum morbis succurrit. Dos. gut. 5 ad 10.

*Spir. Vini Succinatus.* R<sup>o</sup> ʒris Succini ʒiv, Alcoh. V. ʒxij. ꝯa in MB. f. a. Cephalicus, &c.

*Spir. Vini Tartarizatus.* R<sup>o</sup> ☉ ☐ ʒiv. ꝯa cum Alc. V. ʒij. in MB. Scorbuticus, &c.

*Spir. Viperarum.* ꝯa ex Viperis ficcis, uti c. c. servando ☉em. Summè est penetrans, putredinem arcens, in toto corpore obstructions reſerat, febres omnes reſolvit, etiam Quartanas. Dos. gut. 4 ad 10.

*Spir. Vitæ Aureus. v. Tinct. Aurea.*

*Spir. Vitrioli.* ꝯa ☉ calcinatum ex ::, & separa Sp. à phlegmate f. a.

\* *Spir. Vitrioli coagulatus.* R<sup>o</sup> ☉is Acetofæ ʒj. Sp. ☉li ʒiβ, m. & coagula f. a. In roborando ventriculo, febribus, siti, inflammationibus, &c. Secretum est. Dos. quantum ferri potest, ut dentes stupidi non reddantur, in liquor conven. v. Mynsicht.

*Sp. Vitrioli Diaphoreticus.* R̄. Ois ☐ri, c. c. c. ā ʒij, Sp. ☉ ʒvj. Sa per ☉ ad ficit. Liquori Saato adde Sp. V. ā, & ſerva ad uſum. *Purificat ſanguinem, abigitq; ſcabiem ac pruritum, aperit obſtructiones, ſudorem provocat in Peſte, Venenis, Hydrope, Iſteritia, contracturis, &c. Efficax quoq; eſt in mundificandis pulmonibus.* Doſ. ā ʒj ad ʒʒ.

*Sp. Vitrioli Eſſentificatus.* v. Clifſus *Vitrioli.*

*Spir. Vitrioli Martis.* Saatur in ☉. ex ☉lo ʒis calcinato. *In obſtructionibus, chloroſi, Rachitide, &c.* Doſ. gut. ʒ ad 15.

*Sp. Vitrioli Philoſophicus,* fit ex ▽ā in quam Butyr. ʒii projectum fuit, exhalando ad ʒtias, & rectificando ſ. a. *Cephalicus eſt, Febrisugus & Ecphraſticus.* Doſ. gut. ʒ ad 15.

*Sp. Vitrioli Tartariſatus.* R̄. ☉ ad albed. calcinat. p. ij. ☐ ad nigred. calcinat. p. i. m. & conſperſo Sp. V. Sa ex ☉, & rectifica ſ. a. *Egregias vires exhibet ad ſudandum in omnibus internis obſtructionibus, in ſanguine grumoso, contra ſcabiem, ad mundificandam & lævigandam cutim.* Doſ. ā ʒj ad ʒʒ, cum brodio, aut vino, per tres auroras continuas, ſi libet.

*Stypticum Regis.* ☉lo ſoluto, filtrato, cum ✕ Saato, edulcato & ſiccato affunde

de ☉ Oli & ꝓa ex ☉ ad siccitatem. Cap. mort. digere cum Sp. V. filtra calidè ac abstrahe. Solve ☉em in fundo remanentem cum quadruplo ∇æ per digest. & fiet Stypticum. *Usus est internus & externus. Dos. gut 10 ad 20, &c. in omnibus hæmorrhagiis.*

*Sulphur Antimonii.* R. ☉ ☐, vel Abfinth. ℥iv in ☒bulo fufis injice cochleatim & crud. Dat. ℥j, fluere sinatur ad gæ quadrantem, & effunde in vas æneum. Massa crocei coloris edulcetur crebris abluitionibus s. a. *Ciet vomitum. Dos. à gr. 5 ad 10, cum Crem. ☐ri purgat per secessum.*

*Sulph. Antim. combustibile.* & solutum in menstruo idoneo in ∇am projice: collige ☐r, & ∇ calidâ ablue: vel (si videtur) per se ꝓa s. a. *Dos. cum viribus eadem, ut supra.*

\* *Sulph. Auratum,* fit è scoriis à Regulo & ii liberatis, in ∇ coctis & filtratis, trando ☐ cum ☒, & abluendo. *Dos. gr. 5 ad 15. In aliis vomitum ante sudorem, in aliis sedem post sudorem, movet. Mirè conducit febribus tertianis & quartanis horâ unâ ante paroxysmum. Pesti, variolis, &c. modò statim à concepto contagio, his tervè repetendo, sæpe prævenit, vel felicius erumpere facit. Lui & ree proficuum est.*

*Sulphur Vitrioli*, fit solvendo ☉ in ∇ calidā, guttatimque affundendo ☉m ☐ri, ut t̄etur ☐ ☉li, qd. edulcoratum exicca. *Confert. affectibus pulmonum. Mundificat plagas putridas, cicatricesq; inducit. in Epilepsia, vertigine, & morbis chronicis valde utile. Dos. ad gr. 15.*

*Sulphur Vitrioli Martiale. Ablue Fl. ❖ci Martiatos ab omni falsedine, & calcina s. a. Idem facit cum superiori; & præterea obstructions reserat. Dos. etiam eadem est.*

*Sulphur Vitrioli Narcoticum. R. ☉ p. ij, Chalybis limat. p. i. Digere in ❖, ac ☉a in :: ad siccitatem. Ex ☐ rubra extrahe tincturam ope ❖i, filtra & t̄a ☉o ☐ri. Tandem ☐ in fundo edulca & sicca. Ex hoc fiant anodyna, Laudani nomine insignita. Catarrhos sistit, dolores aufert, &c. Dos. gr. ij ad vi, &c. hora somni.*

## T.

*Tartarum Aceti v. Sal Aceti essentielle.*

*Tartarum Antimoniatum. R. Crem. ☐ p. vj, Fl. ♂ii p. i. coq. in ∇, filtra & exhala ad siccitatem. Ecphrasticum est, diureticum, diaphoreticum, & febrifugum. Aluum laxat, cietq; vomitum. Dos. ♂j, 3℥, &c.*

\* *Tartar Chalybeatum. R. ☐ loti ℔j. Chalybis limat. 3ij, coq. in ∇ ℔viii, per mome*

momentum 1 vel 2. Trajice citò per manic. Hip. agitando liquorem, donec refrigeratus sit: dein resideat 8 in fundo viridiusculus, & siccetur. Vel, R. Crem. ♀i ʒiv, Oli ʒtis ʒij, coq. in ∇ aliquantum, filtra & ad siccit. evapora s. a. *Utilissimum in morbis chronicis, sc. obstructione lienis, quartana, ictero, cachexia, hypochondriaca passione, &c. Dof. ʒj ad ʒj.*

*Tartar. Emeticum.* R. Hepat. ʒii, Crem. ♀, ā p. æ. m. f. ʒ. Digere in ∇ Menthae. filtra ac evapora ad siccitatem. *Multò lenius ac tutius operatur quàm crocus metallorum. Dof. gr. iij ad xij.*

*Tartar Laxativum.* R. Crem. ♀ ʒviii, ♀ ʒiv, ∇ont. ʒiij, coq. l. Δ. per hor. ʒ, post frige fact. filtra & exhala ad siccit. ut fiat Sal album. *Dof. ʒʒ ad ʒj, &c.*

*Tart. Vitriolat. Antimoniale,* fit addendo paulatim ♀ro ʒiato ☉ Oli q. s. siccando, in ∇ solvendo, filtrando & exhalando ad siccit. *Febrifugum est, ictericum, cachecticum, & digestivum. Dof. gr. ʒʒ ad ʒʒ, &c.*

*Tart. Vitriolat. Emetico purgans.* R. ♀ fusi ʒviii, Vitri. ʒi ʒj, probè misce in ʒbulo, effunde, ∇â tolve, filtra, & in ʒæ calore exicca, paulatim instillando ☉ Oli q. s. & siccando. *Vires easdem obti-*

*net*

net cum priori. Purgat *ānu* *ā*, *nātu*. Dos. gr. 3 ad 8, &c.

*Terra Vitrioli dulcis*, sit ex Cap. mort. olei *ϕ*li ad rubed. calcinato, aliquoties *∇*ā edulcando, donec *∇* rubra ab omni falsedine libera sit. postea exicca. *Magnæ est efficaciæ in Dysenteriis, hæmorrhagiis, &c.* Dos. *ϑβ* ad *ζβ*, &c.

*Tinctura Absinthii.* *℞* Summit. Abs. vulg. siccat, *à* stipit. liberat. *ζv*. contusis adde Pyrœni *ζxx*. Digere in MB ad *δ* aliqt. exprime fortiter, in liquore infunde iterum alias summit. abs. & exprime. Repet. opus ad tertiam vicem. Dein filtra colaturam s. a. Dos. gt. 6 (plus minus) in haustu Vini vel cerevisiæ.

*Tinctura Ambre. v. Sp. Ambre.*

\* *Tinctura Amygdaloïdes.* *℞* Partium Albar. Benz. Styrac. Calam. *ā* *ζj*, Pyrœni *℥bj*. Digere ad solutionem, filtra & exhala ad dimid. *Pectoralis est, Catarrhalis, Asthmatica, Nervalis, Sudorifica, &c.* Dos. *ζij* ad *vj*, &c.

\* *Tinctura Antim. Emetica.* Extrahitur ex vitro *δii* cum *✕*, filtrando & exhalando ad siccitatem. Materiam in *∇* solutam, filtratam, iterumque ad siccitatem abstractam digere cum Sp. V. ad colorem rubicundum, ac filtra. Elici etiam pt. *Tinctura* è scoriis Reguli *δii* cum Sp. V. digestis



gestis & filtratis. Vel, extrahe Tincturam ex vitro ðii cum Sp. ♀ rectificato; effunde ac abstrahē in XX, non autem ad siccit. totalem. Tum extrahe Tincturam cum Sp. V. quam filtra & exhala ad conven. spissitudinem. *Dof. ad gt. x.*

*Tinctura Antim. purgans.* R. Vitri. ðii ðat. ʒj, Sp. ♂ non rectificat. ʒviij. Digere in MB. Sic fit Tinctura nigropunicea *Panchymagogum censetur in omnibus morbis curandis, fortificat. ventriculum, obstructions aperit, convenit chlorosi, cachexiæ, &c.* *Dof. à gt. vj ad x.*

*Tinctura Armoniaci.* R. \* thij, Chalybis limat. thj, m. opt. simul terendo, & ʒa per O per gradus. Serva per se Sp. \*ci. Sem in fundo hærentem ʒa, & frequenter ∇â affusâ edulcora. Postea adjectis Sp. V. thij, digere tepidè ʒ 8: effunde Spt. & novum affunde & digere per ʒ 8. Dein abstrahē in MB. Sp. V. thij, ut una libra Tincturæ supersit. *Egregiè præstat in omnibus obstructionibus hepatis & lienis. Item in Melancholia Hypochond. Quartana, Cachexia, Hydrope, morbo Virgineo, Scorbuto, mensibus, superfluiis & retentis.* *Dof. gut vj ad xij in liquor conven.*

*Tinctura Asæ Fætidæ.* R. As. Fætid. ʒij, Alcoh. V. thj, extrahe Tincturam & filtra

filtra. *Uterina est, Traumatica, & Splenetia.*  
*Dof. ʒj ad ʒij, &c. in liquore conveniente.*

\* *Tinctura Asthmatica.* R. Rad. Helen. Irid. Florent. Sem. Anis. Carui, Glyc. ā ʒij, Fol. Cardui Ben. mij, uv. pass. ex-acin. ʔbj, Fol. Senæ mundat. ʒvj, ▽ Anisi, ʔbvj. Digere 6 4, & f. colat. *Dof. coch. 2 h. somni, 3 vel 4 manè seq.*

\* *Tinctura Aurea.* R. Pulp. colocynth. à semin. liberat. concis. & cras. ʒat. ʒiʒ, caryoph. n° vj, anis. ʒj, croc. ʒʒ, Sp. V. ʒxx. Digere ad menslem, & filtra. *Dof. ʒij ad ʒiʒ.*

*Tinctura Bezoartica.* R. Rad. Enul. Angel. Zed. Serpentar. Virg. ā ʒiʒ, Croc. opt. ʒj, Myrrh. Cinam. Cort. Citri sicc. ā ʒvj, Fol. Scord. Rutæ, ā mʒ. Theriac. Androm ʒiij, opii Thebaic. ʒij, Sp. ʒi rectif. ʒxv, Sp. Oli ʒiij, Sp. Bacc. Sambuc. & Sp. Bacc. Junip. rectif. ā ʒxviij. Digere f. a. ac filtra. Tum adde ʒ Succini ʒj, Camphor. ʒij. Digere iterum ad usum. *Dof. ʒiij ad ʒj, &c. in Peste, morbisq; omnibus malignis Spiritus insignitèr recreat, &c.*

\* *Tinctura Cardamomi.* R. Sem. Cardamom. min. excort. & contus. ʒiv. Alcoh V. ʒxvj. Digere, exprime, ac filtra f. a. *Flatus potenter discutit, & cerebrum confortat.*

*confortat. Dos. ʒj ad ʒiij, &c. in vehiculo idoneo.*

\* *Tinctura Carui.* f. è Sem. & Alcoh. V. omninò ut *Cardamomi.* Idem facit cum *priori.*

\* *Tinctura Cathartica Ridglei.* R. Senæ opt. ʒj. Caryoph. ʒiʒ, Croc. ʒj, V. Hispan. Chalybeat. ʒiʒ. Infunde ò aliqt. expreme ac filtra. *Dos. coch. 2, 3, 4. quotidie ad longum tempus, in Febris obſtinatis, &c.*

\* *Tinctura Ceruffæ.* R. Ceruff. Ven. ʒat. ʒiv, Camphor. ʒʒ, ☉ ♀ p. d. ʒiij, ✱ ʒxvi, macer in frig. filtra. *In cutis ſæditatibus, inflammationibus, ambuſtis, &c. uſus eſt.*

\* *Tinctura Chamæmeli.* Extrah. ex Flor. ſiccis, & Pyræno, uti *Absinthii.* Idem præſtat cum *Tinct. Carui.*

\* *Tinctura Cochleariæ comp.* R. Chalybis limat. mund. ʒiv, Salv. Rubræ, Agrimon. ā miiij, Cochlear. marin. fol. ſelectiſſ. ʒij, Cochlear. hort. miiij, abſ. com. roriſm. ā mij, Rad. raphan. ruſtic. ʒiv. Incide minutif. & adde V. alb. & V. Cherienſ. ā ʒiv. Infund. per ò 3, & f. colat. *Dos. ad ʒiv bis indies per ò 20, 30, 40. Ex deplorato hydrope cum ſcorbuto curati fuerunt multi præter ſpem; aliis plurimis fruſtra tentatis.*

*Tinctura*

*Tinctura Coralli.* Solve Corall. r. in Sp. Panis, filtra & evapora: exinde Tincturam extrahe cum Sp. V. filtra & exhala ad debitam consist. s. a. *Cardiaca, diuretica, vermifuga, &c.* Dos. gut. 30, 40, &c. in liquore appropriato.

\* *Tinctura Ferri.* ℞ Batituræ Ferri mundat. ℥vj, Absinth. Rom. mj, ras. eboris santal. alb. ā ʒiʒ, V. Rubelli ℥ij, macer. 8 48. f. colat. quæ filtretur. *Longè efficacior habetur, quàm Vinum Chalybeatum in omnibus obstructionibus, &c.* Dos. coch. 2 ad 5, &c. omni manè per longum tempus.

\* *Tinctura Guajaci.* ℞ Cort. Guajac. ʒat. ℥ij, Ambr. gris. gr. xv Sem. Anis. Glyc. ā ʒj, Sp. V. ℥iv. Digere & cola ad usum. *Sudorem provocat. Optimè conducit in Lue ſyrea curanda Odontalgica est, Pulmonica, & Catarrhalis.* Dos. ʒvj ad ʒiʒ, &c.

*Tinctura Galbaneti.* Extrah. ex Galbeneto Senn. cum duplo Tincturæ de Œuri, circulando, ac postea separando Oleum à Tinctura s. a. *Hysterica est, Paralytica, Scorbutica, Emmenagoga, &c.* Dos. gut. x, xx, xxx, &c.

*Tinctura Hematitæ.* Elicitur ope Spts. V. ex Lap. Hæmatit. cum ✱ nato. *Uusus*  
in

in hæmorrhagiis omnibus sistendis. Dof. ʒj, ij, &c.

\* *Tinctura Hieræ.* R. Spec. Hier. simp. ʒj, Coccinel. ʒj, V. Cherienf. ʒiij, m. & digere sæpe agitando ad ʒ aliqt. deinde filtra ad usum. *Datur in ventriculi dolore, cachexia, ruſtu, vermibus necandis, &c. Ante paroxysmum tertianæ, nec-non quartanæ exhibita, sæpe curat post tertiam vicem.* Dof. ʒij ad iv.

\* *Tinctura Juniperi.* Fit ex Rob. de Baccis ʒj, Sp. de Baccis fermentatis ʒij, digestis & filtratis s. a. Dof. coch. 2 ter in die. In hydropo, calculo, colica, &c. singulare remedium.

*Tinctura Lunæ. v. Luna potabilis.*

*Tinctura Martis.* Extrah. ex Flor. \*ci ʒtiatis ope Alcoh. V. s. a. *Easdem vires obtinet, quas Tinctura Armoniaci.*

*Tinctura Martis Aurea.* R. Croc. ʒ ʒj, Sp. ʒiv. Infund. ʒ 2, sæpe agitando: dein adde pyrceni ʒiv. Digere tepidè ʒ 3 vel 4. filtra, & erit Tinct. coloris aurei. Dof. ad gut. xx.

*Tinctura Martis Tartarifata.* R. ʒ alb. ʒat. ʒij, Chalybis limat. rubiginat. ʒij, m. & coq. in vase ferreo in Font. cong. ij, per 8 12, agitando subinde spatulâ ferreâ, & addendo pro re natâ plus ʒæ bullientis. Post residet. debitam filtra li-  
H . quorem,

Quorem, & exhala ad spissitudinem convenientem s. a *Dof.* ʒj ad ʒiij, &c.

\* *Tinctura Melissæ.* R. V. rubelli cong. ij, meliss. rec. mvij. ʒa in MB. ad ficit. Væ ʒatæ adde Fol. melis. parùm ficit. mvij, ʒa per XX ʒiv. in recipientem lagenam Foliis meliss. recentis. & selectis. integris repletam. Postea colat. admisce sacch. opt. ʒix, suspendendo in nodulo. Ambr. gris. gr. v. Mosch. gr. j. *Insigniter Cardiaca est.*

*Tinctura Myrrhæ.* R. Aloës opt. Myrrh. ā ʒj, Alc. V. ʒbj. Digere & filtra. *Vulneraria est insignis, astringit, consolidat, extergit, putredinem arcet, & gangrænam præcavet.*

*Tinctura Oculor. Cancrorum.* R. Oc. 69 ʒat. ʒiv. ✠ opt. ʒxvi. extrah. Tinct. & filtra. *Dof. coch. 2 ter in die, ad ulcera, &c, curanda.* K. D. E. A.

*Tinctura Odontalgica.* R. Guajac. ʒij, Pyrethr. ʒj, Malicor. Gallar. Sem. Hyoscyam. Staphidisagr. ā ʒß, Caryoph. zz. Piper. l. Oliban. ā ʒij, Opii, Camphor. ā ʒj, Peti Indici, Salv. Mentastr. ā ʒij, Sp. V. ʒiij, macer. & f. colat. *Tantillum de hac calidè in ore teneatur, postea iterum expuatur, & reiteretur, v. Mynsicht.*

\* *Tinctura Paralytica.* R. ʒris Cantharid. ʒij, Ammeos ʒvj, Pyrœn. ʒß, extrahe



trahere tincturam, quam cola. *Pro membris paralyticis fricandis.*

*Tinctura Perlarum.* Fit omninò ut *Corallii*.

\* *Tinctura Piperis.* Fit ex Pipere n. & Alc. V. uti *Cardamomi*. *Vires habet piperis.*

*Tinctura Potentialis.* v. *Tinct. Paralytica.*

*Tinctura Proprietatis.* R. Aloës opt. myrrh. elect. ā ʒvj, croc. opt. ʒß in Xrem redactis adde ol. ʒri p. d. ʒij. Digere (vase clauso) 8 24, dein adde Alcohol V. ʒxvi. Digere ac filtra f. a. *Easdem vires obtinet quas Elix. Propriet. dulce.*

*Tinctura Regalis.* (i. e.) *Spir. Ambræ.*

\* *Tinctura Rhabarbari.* R. Rhab. opt. glyc. ā ʒij, uv. pass. enucleat. n° 60. anis. ʒj, sacch. cand. ʒvj, Sp. V. ʒij. Digere f. a. f. colat. *Dos. coch. 2, 3, 4, mars.*  
*In ventriculi cruciatibus, &c. mira præstat.*

*Tinctura Rhæados.* v. *Sp. Rhæad. crap.*

*Tinctura Sacra.* v. *Tinct. Hieræ.*

*Tinctura Salutis.* v. *Elix. Salutis.*

\* *Tinctura Sassafras.* R. Cort. Sassafr. ʒiv, Salv. ficc. ʒij, nuc. m. ʒj, Cinnam. ʒß, Ambr. grif. ʒß, extrahe Tincturam cum Sp. V. ʒij, f. a. *Dos. coch. ij. Lenit arthritidem vagam.*

*Tinctura Saturni.* R. ʒni laminat. q. v. extrahe tincturam cum Sp. ʒni essentifi-

Filtra ac abstrahe f. a. *Apprimè conducit mania, melancholia, quartana, phthisi, &c. Dos. gut. i ad v, &c.*

\* *Tinctura Scorbutica.* R. Fol. cochlear. nasturt. aquat. ā mj, Rad. raphan. rustic. zij, Rhab. ℥β, Polypod. qu. ℥iβ, Senæ ℥j, Sp. V. ℔ij. Infund. ð 2, & f. colat. *Dos. ℥j, vel ij, omni manè cum ∇â cochleariæ. Mirum est quantum levaminis affert hydropicis ac scorbuticis.*

\* *Tinctura Serpylli.* F. ex Herba floresc. sicc. & Pyroeno, eodem modo quo *Abstinii.* Diuretica, Hysterica, Stomachica, &c. *Dos. gut. v. ad xv, &c.*

\* *Tinctura Stomachica.* R. Spec. Hier. simp. ℥j, Coccinel. 3j, Sp. V. ℔ij. Digere ac filtr f. a. *Dos. coch. 1, 2, 3, ante pastum, in stomachi cruditatibus aut dolore. Si exhibetur ad ℥iij hora dimid. ante parox. per 3 vel 4 vices efficacissimè curat Tertianam: interdum & Quartanam.*

\* *Tinctura Succini.* R. Succin. alb. subt. dat. ℥iv, Alc. V. ℔j. Digere ad solutionem succini. Decanta, filtra, & 3tiam partem abstrahe in MB. *Cephalica est, Hysterica, Colica, Nervalis, &c. Dos. 3j ad zij, &c.*

\* *Tinctura Sulphuris.* R. Hepat. ♀ris ℥ij, Sp. V. ℔j. Digere ac filtra. Extrahi etiam pt. ope Spts. V. ex Balf. ♀ris terebinthinato

binthinato in MB. ad ficcit. cocto. *Valde pectoralis.* Dof. ad gt. xij.

*Tinctura Veneris.* Extrah. ope Sp. V. ex Fl. ☉is p. i, \*ci p. ij, in ☩bulo supra Δem mixta f. a. *Præstantissima habetur in Epilepsia, passione Hysterica, &c. cum liquor. conven. exhibita.*

\* *Tinctura Virginiana.* R. Rad. Serpentar. Virg. ꝯat. ʒij; Tinct. ☉is ☐ri ʒxxvj. Extrahe Tincturam per digest. f. a. *Alaxiteria, Cardiaca, Sudorifica, Scorbutica, &c.* Dof. ʒj ad iij, &c.

\* *Vitriolum Camphoratum.* R. ☉ calcin. ʒvj, Camphor. in Spir. Vini solut. ʒj. m. & lento Δe Spiritum indè abstrahere f. a.

*Vitriolum Lune.* Fit ex ☾ in Sp. ☉i solut. coagulando & crySTALLISANDO f. a. Dicitur & *CrySTALLUM Lunare, & Magist. Lune.* Dof. gr. ij ad vj, &c. *In Hydrope, capitis morbis, ut Epilepsia, Hemicrania, &c. proficuum. Leniter purgat, & nonnunquam vomitum ciet. Ex hoc fieri solent cum micis panis mixto Pil. Lunares.*

\* *Vitriolum Martis.* R. Alcoh. V. ʒiv, ☉ ☐li ʒij, serva simul in vase ferreo ad ☉ 15, vel ad ficcitatem. Dof. gr. ij ad vj, &c. *in obstructionibus.*

*Vitriolum Veneris. v. Flores Viridis æris.*

FINIS.



# INDEX

*Morborum, & Remediorum.*

A.

**A** *Bortum Præcauentia.* Aq. Embryon. | A. Hormini | A. Lamii | Spir. Embryon.  
*Acida.* Acetum Mellis | Clifus Vitrioli | Elix. Vitrioli | Nitr. Vitriol. | Ol. Virid. Ær. | O. Vitrioli dulce | Sp. Nitr. 3. | S. Sal. coag. | S. Veneris | S. Vitriol. 4.

*Alexipharmaca.* Aq. Epidem. | A. Lact. Alexit. | Aur. potab. | A. Vitæ | Bez. miner. | Elix. Prop. Pestil. | Flor. Sal. | Mixt. simpl. | Sal. Tart. Volat. | S. Viperar. | Spir. Camph. | Sp. Nitr. Bezoart. | S. Junip. | S. Sal. Armon. | S. Sambuc. | S. Theriac. Camph. | S. Viperar. | S. Vitrioli diaph. | Sulph. aurat. | Tinct. Bezoart. | T. Virgin.

*Aluminata.* Alum. dulce. | A. Febrif. | Aq. Fort. Alum. | Arcan. Alum. | Sal Alum. | Spir. Alum. | S. A. dulc.

*Ad Ambusta.* Magist. Saturni | Tinct. Cerrusæ.

*In Animi deliquio, v. Cardiaca.*

*Anodyna.*

# I N D E X.

*Anodyna.* Bals. Sulph. | B. Tart. | Bez. Lunar. |  
 Crystall. min. | Ens Vener. | Extr. Paregor. | Lau-  
 dana | Nitr. fixat. | N. Sulphurat. | Ol. Chartæ |  
 O. Heracl. | O. Sapon. | O. Tabac. | Sal Urin.  
 Volat. | Sp. Camph. | Sulph. Vitrioli Narcot.

*Antimoniata.* Antihect. Poter. | Antimon. Di-  
 aph. 2. | A. Medicament. | A. resuscit. | Aq. Stim.  
 Sulph. | Bals. Sulph. Antim. | Bez. Jovis | B. Lun. |  
 B. Mart. | B. Miner. | B. Sol. | Cerussa Antim. |  
 Cinnab. Antim. | Flor. Antim. 2. | Magist. An-  
 tim. diaphor. | Mercur. vit. 2. | Nitr. Antim. |  
 Ol. Antim. Saccharat. | Oxysacch. Emet. | Pana-  
 cea 3. | Regul. Jov. | R. Lun. | R. Mart. | R. Sol. |  
 R. Vener. | Sulph. Antim. 2. | S. aurat. | Tart.  
 Antim. | T. Emet. | T. Vitriolat. Antim. | T. V.  
 Emetico-purg. | Tinct. Antim. 2.

*Apoplectica.* Bez. Lun. | Calx Lunæ | Elix.  
 Vitriol. | Sp. c. c. Succinat. | Sp. Sal. Armon. |  
 S. Sal. coag. | S. Sangu.

*Ad Appetitum. v. Stomachica.*

*Aphrodisiaca.* Aq. Prolif.

*Arthritica.* Aq. Hungar. | A. omn. Flor. |  
 Bals. Anod. | B. Succin. | B. Sulph. miner. | B.  
 Tart. | Cinnab. Antimon. | Infus. Arthrit. | Jupit.  
 Diaphor. | J. Nitrat. | Laudana | Magnes præp. |  
 Ol. Sapon. | O. Tabaci | Pil. Matth. | Sal. Armon.  
 Volat. | Spir. Sal. coag. | S. Viper. | Tinct. Gal-  
 banet. | T. Sassafr. | T. Virgin.

*Asthmatica.* Aq. Digital. | A. Pect. | Bals.  
 Sulph. | Extr. Petic. | Fl. Benzo. | F. Sulph. alb. |  
 Nitr. Saturni | Spir. Millep. | S. Nitridulc. | Tinct.  
 Amygd. | T. Asthmat. | T. Sulph.

*Astringentia.* Alum. dulce | A. Febrif. | Bez.  
 Mart. | Laudana | Sal Litharg. | Terr. Vitrioli  
 dulc.

*Ad Aurium dolores.* Ol. Chartæ | O. Heracl.

*Bechica.*

# INDEX.

## B.

*Bechica.* v. *Pectoralia.*

*Bezoartica.* v. *Alexipharmaca.*

## C.

*Cachectica.* Antimon. Cerussa | A. Diaphor. 2. | A. Medicament. | Magist. Antim. Diaphor. | Nitr. Cachect. | Sal Urin. Volat. | Tinct. Antim. purg. | T. Armon. | v. *Chalybeata.*

*In Calculo.* Aq. Cucum. | A. Cynosb. | A. Lact. Nephrit. | A. omn. Flor. | A. Persicar. | A. Senelor. | Arcan. duplic. | Liquam. Silicum | Nitr. Cachectic. | N. Hermaphrod. | Ol. Ludi | O. Vitriol. dulc. | Sal Spong. | S. Tart. | S. Viper. | Spir. Junip. | S. Nitri 3. | S. Spong. | S. Vener. | Tinct. Junip. | v. *Diuretica.*

*Camphorata.* Bals. Anod. | Elix. Camph. | Liqu. Cephalalg. | Sp. Camph. | S. Theriac. Camph. | Tinct. Cerussæ.

*In Camerum.* Arcan. Corall. | Bals. Saturn. | Croc. Jov. | Magist. Saturn. | Mercur. Sublim. Flav. & Ruber.

*In Capitis dolore.* Aq. Cephal. | Liqu. Cephalalg.

*Cardiaca.* Aq. Caryoph. | A. Cinnam. Card. | A. Card. | A. Lact. Card. | Nitr. Corall. | N. Perlat. | Sal Corall. | S. Viper. | Spir. Alkerm. | S. Ambr. | S. Corall. | S. C. C. Succin. | Tinct. Bezo. | T. Corall. | T. Meliss. | T. Perlar. | T. Virgin. | v. *Alexipharm.* *Diaphoret.* *Stomach.*

*Carminativa.* Aq. Chamæm. | Extrac. Diatess. | Spir. Junip. | Tinct. Cardam. | T. Carui | T. Chamæm. | T. Junip. | T. Piper. | T. Serpylli.

*Catarrhaliâ.* Bals. Sulph. omnia | Extr. Paregor. | Fl. Sulph. | Lac Sulph. | Laudan. omn. | Pil. Matth. | Sulph. Vitriol. Narcot. | Tinct. Sulph.

*Causlicum.*



# I N D E X.

*Causiticum.* Vitriol. Lunæ.

*Cephalica.* Aq. Cephal. | A. Ceras. n. | A. Hungar. | Bez. Vener. | Sal Armon. vol. ol. | Spir. Ceral. | Sp. c. c. Succin. | S. Vini Succin. | S. Vitriol. Philos. | Tinct. Melamp. | T. Serpyll. | T. Succini | Vitriol. Lunæ.

*Chalybeata* v. *Martiatæ.*

*Ad Chlorosin.* Tinct. Armon. | v. *Martiatæ.*

*Ad Clavos.* Cauter. Lun. | Ol. Virid. Æris.

*Ad Colicam.* Aq. Chamæm. | A. Hungar. | A. Pneumon. | Balf. Sulph. Anif. & Succin. | Croc. Vener. | Flor. Sulph. alb. | Lac Sulph. | Magist. Saturn. | Sal Armon. vol. ol. | Tinct. Chamæm. | T. Junip. | T. Rhab. | T. Piper. | T. Succini. | v. *Carminativa.* *Opiata.*

*Ad Cordis Palpis.* Sal Armon. vol. ol. | Sp. Alkerm. | S. Ambrae | Tinct. Armon. | T. As. foet. | T. Melissæ. | v. *Cardiaca, Hysterica.*

*Cosmetica.* Acet. Lithargyr. | Aq. Cosmet. | A. Crinal. | A. Hungar. | A. Venustat. | Arcan. Cosmet. | Flor. Benzo. | F. Bismuth. | & Zinci | Lac Mercuriale | Magist. Bismut. | Ol. Talchi | O. Virid. Ær. | Spir. Benzo. | S. Camph. | Tinct. Cerussæ.

*Ad Crapulam.* Tinct. Absinth.

*Ad Crines.* Aq. Crinalis.

*Cuprea.* Balf. Veneris | Bez. Vener. | Croc. Vener. | Flor. Virid. Ær. | Ol. Virid. Ær. | Regul. Ven. | Spir. Ven. | Tinct. Ven.

## D.

*Diaphoretica.* Alum. Febrif. | Antim. Diaph. | & Fixum | A. Medicam. | & resuscit. | Aq. Epidem. | A. Lact. Alexit. | A. Sarsæ | A. Siphyl. | & Stim. Sulph. | Arcan. Jov. | Aur. Fulm. | A. Mosaic. | A. potab. | Bez. Jov. | B. Lun. | B. Miner. | B. Sol. | Ceruss. Antim. | & Mart. | Cin-nab.

# I N D E X.

nab. Antim. | Croc. Jov. | Elix. Camph. | Flor. Antim. | F. Sal Armon. | Jupit. Diaphor. | & Nitr. | Mars Diaphor. | Nitr. Cachect. | Panac. Hartman. | Sal Aceti Essent. | S. Armon. Vol. | S. Philof. | Spir. Camph. | S. C. C. Succin. | S. Sal Armon. | S. Theriac. Camph. | S. Vitriol. Diaph. | S. Vin. Tart. | Sulph. Aurat. | Tart. Antimon. | Tinct. Bezo. | T. Guaiac. | T. Virgin.

*Ad Diarrhœam.* Alum. dulc. | A. Febrif. | Aq. Cinnam. | Bez. Mart. | Laudana | Sal Litharg.

*Diuretica.* Aq. Cucum. | A. Cynosb. | A. omn. Flor. | A. Perficar. | A. Stim. Sulph. | Arcan. duplic. | Balf. Succin. | Croc. Vener. | Crystal. Mineral. | Flor. Sal. Armon. | Liquam. Silic. | Mars Diaphor. | Nitr. Hermaphr. | N. Fixat. | N. Vitriolat. | Ol. Ludi | O. Vitr. dulc. | Sal Aceti Essent. | S. Diuret. | S. Mart. Cathart. | S. Polychrest. | S. Tart. | S. T. Volat. | Silic. præp. | Spir. Alum. 2. | S. Junip. | S. Millep. | S. Nitr. 2. | S. Sal Armon. | S. Sal. coag. | S. Sal. Mart. | Tinct. Antimon. | T. Corall. | T. Junip. | T. Serpyl.

*Ad Dysenteriam.* Chalcant. rubef. | Pil. Matth. | Sal Litharg. | Terr. Vitrioli dulc. v. ad Diarrh. Opiata.

*Ad Dyspnœam. v. Asthmatica.*

## E.

*Ecphrastica.* Ens Vener. | Extr. Ecphract. | Nitr. Cathart. | N. Hermaphr. | Spir. Alum. dulc. | S. Millep. | S. Nitri dulc. | S. Sal. Armon. Chalyb. | S. Sal Mart. | S. Vitriol. Diaph. | S. Vitriol. Mart. | S. V. Philosoph. | S. V. Tartar. | Sulph. Vitriol. Mart. | Tart. Antim. | T. Chalybeat. | Tinct. Antim. purg. | T. Armon. | T. Ferri | T. Mart. | Vitriol. Mart. | v. Martiata.

*Emetica.* Antimon. resuscit. | Aq. Formicar. | Fl. Antimon. | Gilla Theophr. | Magist. Git. | Mercur.

## I N D E X.

Mercur. præcip. per se | M. p. rub. | M. Vitæ |  
Oxyfacch. Emet. | Spir. Tabaci | Sulph. Antim. |  
& Antim. Combust. | Tart. Antimon. | T. Vi-  
triol. Emet. | Tinct. Antim. Emet.

*Emmenagoga.* Aq. Chamæm. c. | Essent. Mart. |  
Extr. Fellis | Mars Fulm. | Spir. Junip. | S. Sal  
Armon. Chalyb. | Tinct. aur. | T. Ferri | T. Mart. |  
T. Myrrh. | T. Piper. | T. Serpylli | v. *Hysterica*  
*Martiatæ.*

*Epileptica.* Aq. Hirund. | A. Picar. | Bals. Suc-  
cin. | Bez. Lun. | Calx Lunæ | Cinnab. Antimon. |  
Elix. Vitriol. | Luna Potab. | Ol. Heracl. | O. Sa-  
pon. | Regul. Lun. | Spir. Cerasor. | Sp. C. C. Suc-  
cinat. | S. Embryon. | S. Sangu. | S. Vener. | S.  
Vini Succin. | Sulph. Vitrioli Narcot. | Tinct. Suc-  
cin. | T. Vener. | Vitriol. Lunæ.

*Expectorantia.* Aq. Digital. | Bals. Sulph. om-  
nia | v. *Asthmatica, Pectoralia.*

### F.

*Ad Faciei Rubores, &c.* Acetum Lithargyr. |  
Lac Mercur. | Magist. Bismut. | M. Saturni | Ol.  
Virid. Æris | Spir. Camph. | Tinct. Cerussæ. v.  
*Cosmetica.*

*Febrifuga.* Alum. Febr. | Antifeb. Conch. |  
Aq. Febr. | A. Formic. | Arcan. dupl. | Bez. Jov. |  
B. Sol. | Croc. Vener. | Extr. Febr. | Febr. River. |  
Flor. Sal. Armon. Mart. | Nitr. Antimon. | N.  
Corallat. | N. Hermaphrod. | Ol. Antim. Sacchar. |  
Sal Alum. | S. Diuret. | S. Febrif. | S. Litharg. |  
S. Viper. | Spir. Alum. | S. Camph. | S. Sal. Armon. |  
S. Saturni | S. Viper. | S. Vitriol. coag. | S. V.  
Philos. | Sulph. aurat. | Tart. Antimon. | T. Cha-  
lyb. | T. Vit. Antim. | T. Vit. Emet. | Tinct.  
Hieræ | T. Stomach.

*Ad Flatus. v. Carminativa.*

*Ad Fluxum Hepaticum.* Bez. Mart.

# I N D E X.

*In Gangrana.* Spir. Camph. | Tinct. Myrrh. | T. Propriet.

*In Gonorrhœâ.* Mercur. præcip. virid. | v. *Mercuralia, ad Luem Vener.*

## H.

*Hæmoptoïca & in Hæmorrhagiis. v. Styptica.*

*Hydropica.* Æthiops miner. | Antihect. Poter. | Antimon. Diaphor. fixum. | & Medicament. | Arcan. Corallin. | Bez. Sol. | Essent. Mart. | Extr. Alhand. | Luna Potab. | Magist. Antim. diaph. | M. Git. | Mars Potab. | Mercur. præcip. alb. | Nitr. Antimon. | Sal. Diuret. | Silic. præp. | Spir. Sal. coag. | Tinct. Absinth. | T. Coch. | T. Junip. | T. Mart. aur. | Vitriol. Lunæ.

*Hypochondriaca. v. ad Melancholiam.*

*Hypnotica. v. Somnifera.*

*Hysterica.* Balf. Succin. | Bez. Jov. | B. Saturni | Calx Jov. | C. Lun. | Cliff. Vitriol. | Croc. Jov. | C. Vener. | Elix. Camphor. | Ens Vener. | Flor. Jov. | Jupit. Diaphor. | J. Nitr. | Magist. Jov. | Ol. Camph. | Regul. Jov. | R. Solar. | Sal C. C. Succin. | S. Jov. | Spir. Cerafor. | S. C. C. Succin. | S. Sangu. | S. Vener. | Tinct. As. foet. | T. Galbanet. | T. Succini | T. Vener.

## I.

*Ictericæ.* Sal Diuret. | S. Urinæ | S. Tart. | Sp. Sal. coag. | Tart. Chalyb. | T. Vitriol. Antim. | v. *Martiata.*

*Ad Impetiginem.* Bez. Vener. | Flor. Bism. & Zinc. | Magist. Bism. | Ol. Chartæ | Tinct. Cerrussæ. v. *Aluminata.*

*Joviata.* Antihect. Poter. | Arcan. Jov. | Flor. Jov. | Jupit. Diaphor. | J. Nitr. | Magist. Jov. | Regul. Jov. | Sal Jov.

*Laxantia.*

# I N D E X.

## L.

*Laxantia.* Balf. Tart. | Extr. Ecphract. | Nitr. Cachect. | Ol. Aloet. | Sal Polychrest. | Tart. Antimon. | T. Laxat. | Tinct. Hieræ | T. Propriet. | T. Rhab. | T. Stomach.

*Ad Luem Veneream.* v. *Aq. Siphyllica.*

*Lunaria.* Bez. Lun. | Calx Lun. | Caustic. Lun. | L. potab. | Regul. L. | Vitriol. L.

## M.

*In Maniâ.* Extr. Melamp. | Tinct. Saturni. | v. *ad Melancholiam.*

*Martiata.* Aq. Chalyb. | Balf. Mart. | Bez. M. | Cerus. M. | Chal. sine acido | C. Tartar. | Cliff. Vit. | Ens Vener. | Effent. M. | Extr. Chal. | Flor. Sal. Armon. Mart. | Mars Diaph. | M. potab. | Nitr. Cachect. | Ol. M. | Regul. M. | Sal Chal. | S. Mart. Cathart. | Spir. Vit. Mart. | Sulph. V. Mart. | S. V. Narcot. | Tart. Chalyb. | Tinct. Armon. | T. Ferri | T. Mart. | T. M. aur. | T. M. Tartarif. | Vit. Mart.

*In Melancholiam.* Arcan. duplicat. | Extr. Melamp. | Mars Diaphor. | Sal Viperar. | Spir. Saturni | Tart. Chalyb. | Tinct. Armon. | T. Mart. | T. Melamp. | T. Saturni. | v. *Martiata, Joviata, Hysterica.*

*Menses moventia.* v. *Emmenagoga.*

*Mercuriata.* Æth. miner. | Arcan. Coral. | Arcan. Jov. | Aur. Mosaic. | Aurum Potab. | A. Vitæ. | Bez. Mercur. | B. Miner. | B. Sol. | Cinnab. Antim. | Croc. Jov. | Magist. Turpet. | Mercur. præcip. varii | M. sublim. varii | M. Vitæ correct. | M. V. purg. | Panac. aur. | P. Cathart.

*Menstrua Chymica.* Acetum Mell. | Aq. Fort. Alum. | A. F. dupl. | A. Reg. | Spir. Vin. Tartar. | S. Veneris.

# INDEX.

## N.

*Nephritica.* Aq. Cucum. c. | A. Cynosb. | A. Lact. Nephrit. | A. Perfic. c. | A. Senel. c. | Li-  
quam. Silic. | Nitr. Cachect. | Pil. Matth. | Nitr. Ni-  
trat. | Sal Aceti essent. | S. Diuret. | S. Spongiæ |  
S. Tart. | S. Urinæ volat. | Sapo Tartar. | Silic.  
præp. | Spir. Alum. | S. Coral. | S. Junip. | S. Ni-  
tri d. | S. Spong. | S. Vener. | S. Vini Tartarif. |  
Tinct. Junip. | T. Ocul. Cancr.

*Nitrata.* Aq. Fort. dupl. | A. F. Alum. | A.  
Rég. | Arcan. dupl. | Crytol. miner. | Nitr.  
Antim. | N. Cachect. | N. Cathart. | N. Corall. |  
N. Fixat. | N. Hermaphrod. | N. Jov. | N. Nitrat. |  
N. Perlat. | N. Saturni | N. Sulph. | N. Vitriol. |  
Regul. Mart. | R. Vener. | Sal Alkali | S. Poly-  
chrest. | Spir. Nit. | S. N. Bez. | S. N. Dulc.

## O.

*Odontalgica.* Alum. dulce | Arcan. Alum. | Ol.  
Chart. | O. Heracl. | O. Lint. | O. Tabac. | Pil.  
Matth. | Spir. Camph. | S. Tabac. | Tinct. Guaiac.  
T. Odontalg. v. *Somnifera.*

*Odorifera.* Aq. Odorif. | Sp. Ambræ.

*Opiata.* v. *Somnifera.*

## P.

*Paralytica.* Aq. Hungar. | Bals. Paralyt. | B.  
Succini | Extr. Diateff. | Galbanet. | Nitr. Cachect. |  
Ol. Lumbric. | O. Paralyt. | Spir. Camph. | S. C. C.  
Succin. | Sp: Sal. Armon. Succin. | S. Sangu. | S.  
Theriac. Camph. | S. Vin. Succin. | Tinct. Gal-  
ban. | T. Paralyt. | T. Sassafr. | T. Serpylli | T.  
Succini.

*Ad Partum promovendum.* v. *Emmenagoga.*

*Paregorica.* v. *Anodyna, Somnifera.*

*Pectoralia.* Aq. Bechic. | A. Caryoph. | A.  
Lact. Pect. | A. Pector. | A. Tussilag. | Bals. Sulph.  
omnia |



# I N D E X.

omnia | Flor. Benzo. | F. Sulph. a. | Hepar Sulph. |  
Lac Sulph. | Liquam. Sulph. | Spir. Benzo. | S.  
Hyssop. | S. Millep. | S. Tabac. | Tinct. Amyg-  
dal. | T. Asthmat. | T. Galbaneti | T. Sulph.

*Pestilentialia. v. Alexipharmaca.*

*Phthifica.* Antihect. Poter. | Aq. Antiphth. | A.  
Lact. Pector. | A. Card. comp. | A. Pector. | A.  
Tussilag. c. | Balf. Sulph. | Flor. Sulph. alb. | Lac  
Sulph. | Liquam. Sulph. | Magist. Saturni | Tinct.  
Amygdal. | T. Mellis | T. Saturni.

*Pleuritica.* Aq. Animal. | Aq. Tussilag. c. |  
Cryстал. miner. | Ens Vener. | Nitr. Sulphurat. |  
*v. Pectoralia.*

*Podagrica. v. Arthritica.*

*Ad Profluv. alb.* Aq. Hormini | A. Lamii c.

*Purgantia.* Arcan. Coral. | Aur. Vitæ | Extr.  
Alhand. | E. Drastrict. | E. Melamp. | Magist. Git. |  
M. Tartar. | M. Turpet. | Mercur. præc. alb. &c. |  
M. sublim. flav. & rub. | M. Vitæ purg. | Nitr.  
Cathart. | Panac. Cathart. | Sal Mart. Cathart. |  
Scammon. 5. | Tinct. Antim. purg. | T. Asthm. |  
T. Aur. | T. Hieræ | T. Melamp. | T. Rhab. |  
T. Scorbut. | T. Stomach. | Vit. Lunæ.

## R.

*Ad Rachitidem.* Ens Vener. | Regul. Vener. |  
Spir. Millep. | S. Vit. Mart. | *v. Martiata.*

*Ad Ruētus. v. Carminativa. Stomachica.*

## S.

*Salivam moventia.* Panac. aur. *v. Mercuriata.*

*Sanguinem coagulatum solventia.* Aq. Chalyb. |  
Cryстал. miner. | Nitr. fixat. | Spir. Vit. Tart.

*Sanguinem rectificantia.* Antimon. Diaph. | Ce-  
russa Antim. | Cinnab. Antim. | Magist. Antim.  
Diaph. | Mercur. Vitæ cor. | Nitr. Sulphur. | Pa-  
nac. Hartman. | Sal Corall. | S. Tart. | Spir.

# I N D E X.

Coral. | S. Viperar. | S. Vit. Diaph. | Tinct. Coral. | v. *Antimoniata, Martiata, Mercuriata, &c. Sanguinem Sistentia. v. Stryptica.*

*Saturnina.* Bals. Saturn. | Bez. S. | Calx S. | Magist. S. | Nitr. Saturnif. | Sal S. | Spir. S. | Tinct. S.

*Contra Scabiem.* Arcan. Corall. | Æthiops minner. | Magist. Git. | Mercur. præc. alb. | M. Sublim. | Panac. Hartm. | Sal Tart. vol. | Spir. Vit. Diaph. | S. V. Tartar. | v. *Sulphurata.*

*Scorbutica.* Antihect. Poter. | Antim. Diaph. | Aq. Antiscorb. | A. Lact. Scorb. | Arcan. dupl. | Bez. Jov. | Cerussa Antim. | Mars potab. | Nitr. Cachect. | Sal Diuret. | S. Urinæ vol. | Spir. Cochl. | S. Coral. | S. Vin. Tart. | Tinct. Armon. | T. Cochl. | T. Mart. aur. | T. Scorb. | T. Virgin.

*Ad Scrophulas.* Magist. Turpet. | Sal Spongiae | Spir. Millep. | v. *Mercuriata.*

*Ad Singultum.* Elix. Prop. | Laudana | Sal Armon. vol. | Tinct. Hieræ | T. Stomach. | v. *Stomachica, Carminativa.*

*Siphyllica.* Æth. minner. | Antihect. Poter. | Aq. Sarsæ | A. Siphyl. | Arcan. Corall. | Aur. Vitæ | Bez. Mercur. | B. Sol. | Cerussa Antimon. | Cinnab. Antim. | Croc. Jov. | Jupit. Diaph. | J. Nitrat. | Magist. Saturni | M. Turpet. | Mercur. præc. a. | M. P. Virid. | M. Sublim. | Nitr. Antimon. | Nitr. Cachect. | Panac. aur. | P. Cathart. | P. Hartman. | Regul. Mart. | Spir. Saturni | Sulph. aur. | Tinct. Guaiaci.

*Situm extinguentia.* Bez. anism. | Crystal. minner. | Nitr. fixat. | N. Sulphur. | Ol. Vit. dulce | Spir. Nitri | S. N. dulc. | S. Sal. coag. | S. Vit. coag.

*Solaria.* Aur. Fulmin. | A. Potab. | A. Vitæ | Bez. Solar. | Regul. Sol.

*Somnifera.*

# INDEX.

*Somnifera.* Extrac. Paregor. | Laudana | Pil. Matth. | Sedativ. Archæi | Sulph. Vitrioli Narcot. | Tinct. Bezoart.

*Stomachica.* Aq. Chamæm. | A. Cinnam. 2. | Pneumon. | Elix. Prop. 3. | E. Vitæ | E. Vitriol. | Extrac. Diateff. | Flor. Sal. Armon. Mart. | Sal. Armon. Vol. Ol. | S. Philos. | Spir. Junip. | S. Vener. | S. Vin. Tart. | S. Vitriol. coag. | Tinct. Absinth. | T. Hieræ | T. Junip. | T. Propriet. | T. Stomach. | v. *Carminativa.*

*Styptica.* Bez. Mart. | Chalcanth. rubef. | Ol. Martis | O. Vitri. | Terra Vitrioli dulc. | Tinct. Hæmatit. | v. *Aluminata, Nitrata.*

*Sudorifica.* v. *Diaphoretica.*

*Sulphurata.* Balf. Sulph. | Fl. Sulph. a. | He-  
par S. | Lac S. | Liquam. S. | Sal S. | Tinct. S.

## T.

*Tartarea.* Balf. Tart. | Magist. T. | Nitr. Hermet. | Pil. Matth. | Sal. Armon. vol. | Sal Tart. | Sapo Tart. | Spir. Sal. Armon. Tart. | Spir. Vitri. Diaphoret. | S. V. Tartar. | Sulph. Vitriol. | Tartar. Antimon. | T. Chalyb. | T. Emet. | T. Laxat. | T. Vitriol. Antimon. | T. V. Emetico-purgans | Tinct. Bezoart. | T. Cerussæ | T. Mart. Tart.

*Traumatica.* Aq. Chalyb. | Arcan. Corallin. | Balf. Sulph. Antimon. | B. S. Bat. | Bez. Vener. | Croc. Jovis | Flor. Virid. Ær. | F. Vitrioli | Pul. Sympath. | Stypt. Reg. | Tinct. Myrrh. | T. Ocul. Cancr.

*Ad Tympanitidem.* Aq. Ceras. comp. | Spir. Sal. coag.

## V.

*Vermifuga.* Æth. min. | Aq. Vermif. | Aur. Vitæ | Elix. Propr. | Ens Vener. | Mercur. præcip. | Ol. Aloet. | Ol. Heracl. | O. Tabac. | Sal Sulph.

# I N D E X.

Sulph. | Tinct. Absinth. | T. Corall. | T. Hieræ |  
T. Myrrh. | T. Propriet. | T. Virgin.

*Ad Vertiginem. v. Epileptica.*

*Vitriolata.* Aq. Fort. 2. | A. Reg. | Arcan. duplic. |  
Chalcant. rub. | Cliff. Vit. | Elix. Vit. | Essent.  
Mart. | Flor. Vit. | Gil. Theoph. | Nitr. Vitriol. |  
Ol. Vit. dulc. | Panac. Holiat. | Pulv. Sympathet. |  
Ros Vit. | Spir. Vit. coagul. | & diaph. | & Tart. |  
Stypt. Reg. | Sulph. Vit. | S. V. Narcot. | Tart.  
Vitriol. Antim. | Terr. Vit. dulc. | Tinct. Antim.  
purg. | T. Bezoart.

*Vomitoria. v. Emetica.*

Ad Urinæ Suppressionem. Ol. Vitrioli. v. *Diuretica, Nephritica, Somnifera.*

# F I N I S.



*Catalogus Librorum prostantium apud*  
GUL. & JOH. INNYS.

**B**oerhaave (Herm.) Aphorismi Med. 8vo.  
Ludg. Bat. 1715.

— *The same in English, by De la Cotte,*  
8vo. Lond. 1715.

— Praxis Medica; *being a compleat Body of*  
*Prescriptions adapted to each Section of the Practi-*  
*cal Aphorisms,* 12mo. Lond. 1716.

Boulton (Rich.) *System of Rational and Practi-*  
*cal Chirurgery,* 8vo. 1713.

Bellinger (Fran.) *Discourse concerning the Nu-*  
*trition of the Foetus in the Womb, demonstrated to*  
*be by Ways hitherto unknown. In which likewise*  
*is discovered the Use of the Gland Thymus,* 8vo.  
1717.

Cowper (Gul.) *Glandularum, Ductuumque De-*  
*scriptio,* 4to. Lond. 1702.

Cruso (Joh.) *Medicamentorum Έυρωποιων The-*  
*saurus,* 12mo. 1701.

Drake (James) *Anthropologia nova; or a New*  
*System of Anatomy, describing the Animal Oeco-*  
*nomy; and a short Rationale of many Distempers*  
*incident to human Bodies, illustrated with above*  
*fourscore Figures drawn after the Life. The 2d*  
*Edit. corrected, with a Preface, by W. Wagstaffe,*  
*M. D. and Reader of Anatomy, at Surgeons-*  
*Hall, 2 Vol. 8vo. 1717.*

Friend (Joh.) *Emmenologia: in qua Fluxus*  
*Muliebris Menstrui Phænomena, Periodi, Vitia,*  
*cum medendi Methodo ad Rationes Mechanicas*  
*exiguntur. Edit. secunda,* 8vo. 1717.

Floyer (Sir John) *Treatise of the Asthma. The*  
*2d Edit. 8vo. Lond. 1717.*

— *And Dr. Baynard's History of Cold Bath-*  
*ing both ancient and modern. The 4th Edit. to*  
*which is added an Appendix,* 8vo. 1715.



# I N D E X.

Greenfield (John) *compleat Treatise of the Stone and Gravel, with Copper Plates*, 8vo. 1712.

Hippocratis de Morbis Popularibus Liber primus & tertius Gr. Lat. His accommodavit novem de Febribus Commentarios Johannes Friend, M. D. Col. Med. & Soc. Reg. Soc. 4to. Lond. 1717.

— Idem. Edit. 2da, 8vo. *Ibid.* 1717.

Keill's (James) *Essays on the several Parts of the Animal Oeconomy. The 2d Edit.* 8vo. Lond. 1717.

Listeri (Mart.) Comment. in Sanctorii de Statica Medicina Aphorismorum Sectiones Septem. 12mo. Lond. 1716.

Mayerni (Theod.) Concilia, Epistolæ & Observat. Med. Fol. *Ibid.* 1699.

— Praxis Medica, 2 Vol. 8vo. *Ibid.* 1692.

Praxis Medica, *The Practice of Physick; or Dr. Sydenham's Processus integri, Translated out of Latin into English; with large Annotations, &c. And various Methods of curing the Clap, Running of the Reins, French-Pox, &c. The 3d Edition*, by W. Salmon, M. D. 8vo. Lond. 1716.

Paxton (P.) *Essay concerning the Knowledge and Cure of most Diseases afflicting human Bodies*, 8vo. 1711.

White (J.) *New and Exact Observations of Fevers, in which letting of Blood is shewed to be the true and solid Basis of their Cure, as well as of almost all other new Diseases*, 8vo. 1712.

